VOLUME 65 • AUTHOR INDEX

Abe K, Sugai F. Chronic inflammatory demyelinating polyneuropathy accompanied by carcinoma: *letter*, **403**
Abe K *et al.* Amnesia after a discrete basal forebrain lesion, **126**
Abel A *see* Borasio GD *et al*
Abernethy D *see* Hunn M *et al*
Acheson J *see* Saldanha G *et al*
Agapito C *see* Flowers J *et al*
Agathonikou A *see* Bleck TP *et al*
Agid Y *see* Picard F *et al*
Agius MA *see* Lee EK *et al*
Ahmadpour J *see* Naumann M *et al*
Aichinger-Steiner MM *see* Seiser A *et al*
Ai-Shahi R *et al.* Clinical utility of polymerase chain reaction (PCR) on cerebrospinal fluid (CSF) for the diagnosis and management of HIV neurological complications: *proceedings*, **421**
Alarcon G *see* Koutroumanidis M *et al*
Al-Chalabi A *see* Hu MTM *et al*
Alderson P *see* Roberts I *et al*
Alger JR *see* Tedeschi G *et al*
Algra A *see* Linn FHH *et al*
see Roos YBWEM *et al*
see van Zandvoort M *et al*
Al-Hamad A *see* Mitchell JD *et al*
Al-Memar AY *et al.* Combined methylmalonic aciduria and homocystinuria: a defect in cellular metabolism of cobalamin and a treatable cause of dementia: *proceedings*, **420**
Alusi SH *et al.* Levodopa responsive Holmes's tremor and wearing off dyskinesia secondary to a brainstem angioma: a model for parkinsonism: *proceedings*, **421**
Aminoff MJ *see* Janavs JL and Aminoff MJ
Anand I *see* Kakar A *et al*
Anand P *see* Coppini DV *et al*
see Facer P *et al*
see Kennedy AJ *et al*
see Kennedy AJ *et al*
see Knowles CH *et al*
see Saldanha G *et al*
see Ward N *et al*
see Wellmer A *et al*
Anderson J *see* Robertson NP *et al*
Anderson JM *see* Beversdorf DQ *et al*
Anderson SL *see* Beversdorf DQ *et al*
Andreassi L *see* Rubegni P *et al*
Appenzeller O *see* Thomas PK *et al*
Arbusow V *et al.* Successful treatment of peripheral paraneoplastic neurological syndromes in small cell cancer: *letter*, **609**
Arnold D *see* Lee M *et al*
Artner C *see* Muellbacher W *et al*
Asahina M *et al.* Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study, **155**
Avramopoulos D *see* Panas M *et al*
Axelrod FB *see* Hilz MJ *et al*
Ay H *et al.* Sensory alien hand syndrome: case report and review of the literature, **366**
Aydoğdu İ *see* Ertekin C *et al*

Bahra A *et al.* Hypothalamic activation in cluster headache attacks: *proceedings*, **418**
Bain PG *see* Alusi SH *et al*
Baldeweg T *et al.* Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**
Baloh RW *see* Jen JC *et al*
Bamford JM *see* Burrows DA and Bamford JM
see Sherrington CR and Bamford JM
Barber PA. A syndrome of lower cranial nerve palsies, **133**
Barber PC *see* Newman P *et al*
Barker GJ *see* Holmes PA *et al*
see Molyneux PD *et al*
see Werring DJ *et al*
see Wieshmann UC *et al*
see Woermann FG *et al*
Barker RA *et al.* Review of 23 patients affected by the stiff man syndrome: clinical subdivision into stiff trunk (man) syndrome, stiff limb syndrome, and progressive encephalomyelitis with rigidity, **633**
Barnes TRE *see* Garey LJ *et al*
Barrington S *see* Koutroumanidis M *et al*
Bartel-Friedrich S *see* Brieger P *et al*
Barton DE *see* McCabe DJH *et al*
Barton NW *see* Tedeschi G *et al*
Bartt RE. Audible carotid dissection: *letter*, **803**
Bashir R *see* White K *et al*
Bates D *see* Burn DJ and Bates D
see White K *et al*
Batterby G *see* Mitchell JD *et al*
Battersby RD *see* Hadjivassiliou M *et al*
Bauman ML *see* Beversdorf DQ *et al*
Baumgartner I *see* Baumgartner RW and Baumgartner I
Baumgartner RW, Baumgartner I. Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking, **561**
Beeson DMW *see* Nichols P *et al*
Begoud D *see* Guieu R *et al*
Behrman AL *et al.* Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease, **580**
Bendtzen K *see* Nicoletti F *et al*
Bennett KMB *et al.* The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
Berg HJWT *see* Korten AGGC *et al*
Bergh FT *see* Hummel M *et al*
Beric A *see* Perrine K *et al*
Berman J *see* Ward N *et al*
Berruyer M *see* Derex L *et al*
Bertina RM *see* Haan J *et al*
Bertolino A *see* Tedeschi G *et al*
Besag FMC *see* Neville BGR *et al*
Bevan D *see* Brown MM and Bevan D
Beversdorf DQ *et al.* The effect of semantic and emotional context on written recall for verbal language in high functioning adults with autism spectrum disorder, **685**
Bhatia K *et al.* Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise: *letter*, **604**
Bhattacherjee S *see* Hughes TA *et al*
Bianchetti A *see* Frisoni GB *et al*
Biddolph SC *see* Esiri MM *et al*
Bigalke H *see* Naumann M *et al*
Binetti G *see* Frisoni GB *et al*
Binnie CD *see* Koutroumanidis M *et al*
Birnie KD *see* Everitt AD *et al*
see Wieshmann UC *et al*
see Woermann FG *et al*
Blackwood SK *et al.* Effects of exercise on cognitive and motor function in chronic fatigue syndrome and depression, **541**
Blank SC *et al.* Multidisciplinary clinic approach to motor neuron disease: an audit: *proceedings*, **421**
Bleck TP *et al.* Idiopathic generalised epilepsy in adults manifested by phantom absences, generalised tonic-clonic seizures, and frequent absence status: *correspondence*, **282**
Blumhardt LD *see* Liu C *et al*
Boering D *see* Mummel P *et al*
Boggild M *see* Mann C *et al*
Bogousslavsky J *see* Vuadens P and Bogousslavsky J
Bolwig TG *see* Jensen P *et al*
Bonavita S *see* Tedeschi G *et al*
Bonifacio E *see* Hummel M *et al*
Book reviews Ames D, Chiu E, editors. Neuroimaging and the Psychiatry of Late Life, **959**
Arriagada CR, Nogales-Gaete J, Apt WB, *editors*. Neurocysticercosis, , **140**
Chiocca EA, Breakefield XO, *editors*. Gene Therapy for Neurological Disorders and Brain Tumors., **961**
Delcomyn F, *editor.* Foundations of Neurobiology., **960**
Donaghy M. Oxford Core Texts, Neurology, **283**
Esiri MM, Morris HM, *editors*. The Neuropathology of Dementia, **282**
Frackowiak RSJ, Friston KJ, Frith CD, Dolan RJ, Mazziotta JC. Human Brain Function, **411**
Gobbi G, Andermann F, Naccarato S, Banchini G, *editors*. Epilepsy and other Neurological Disorders in Coelic Disease, **410**
Herndon RM, *editor.* Handbook of Neurologic Rating Scales, **615**
Hsu CY, *editor*. Ischemic Stroke: from Basic Mechanisms to New Drug Development., **961**
International League Against Epilepsy. Atlas of Epileptic Seizures - Classical Examples for CD-ROM, **141**
Jeannerod M, Boller P, Grafman J, *editors*. Handbook of Neuropsychology. Volume 11, **141**
Quinn NP, *editor*. Clinical Neurology-Parkinsonism, **961**
Kondziolka D, *editor*. Radiosurgery. Volume Two, **615**
Lechtenberg R, Schutta HS, *editors*. Neurology Practice Guidelines, **139**
Lunsford LD, Kondziolka D, Flickinger JC, *editors*. Progress in Neurological Surgery, Volume 14, Gamma Knife Brain Surgery., **960**
Oosterhuis HJGH. Myasthenia Gravis, **283**
Pagni CA, *editor*. Central Pain—A Neurosurgical Challenge., **960**
PJ Goadsby, SD Silberstein, *editors*. Headache, **140**
Smith DF, Appleton RE, MacKenzie JM, Chadwick DW, *editors*. An Atlas of Epilepsy, **140**
Swash M, *editor*. Outcomes in Neurological and Neurosurgical Disorders., **960**

Wierman ME, *editor.* Diseases of the Pituitary, **140**
Yanagihara T, Peipgras DG, Atkinson JLD, *editors.* Subarachnoid Haemorrhage, **411**
Ylvisaker M, *editor.*Traumatic Brain Injury Rehabilitation, **411**
Booms P *see* Meyer T *et al*
Borasio GD *et al.* Dopaminergic deficit in amyotrophic lateral sclerosis assessed with [I-123] IPT single photon emission computed tomography, **263**
Boroojerdi B *et al.* Botulinum toxin treatment of synkinesia and hyperlacrimation after facial palsy, **111**
Böttger S *et al.* Neurobehavioural disturbances, rehabilitation outcome, and lesion site in patients after rupture and repair of anterior communicating artery aneurysm, **93**
Bottini G *see* Geminiani G *et al*
Bowler JV *et al.* Factors affecting the age of onset and rate of progression of Alzheimer's disease, **184**
Bradshaw JL *see* Downing ME *et al*
Brainin M *see* Seiser A *et al*
Brakken SK *et al.* Association between intraoperative cerebral microembolic signals and postoperative neuropsychological deficit: comparison between patients with cardiac valve replacement and patients with coronary artery bypass grafting, **573**
Brammer C *see* Kellett MW *et al*
Brammer MJ *see* Werring DJ *et al*
Brandt T. Neuro-otological and psychiatric abnormalities: *commentary,* **619**
Brecher K *et al.* Case report of unusual leukoencephalopathy preceding primary CNS lymphoma, **917**
Brieger P *et al.* Oculo-auriculo-vertebral spectrum disorder (Goldenhar "syndrome") coexisting with schizophreniform disorder: *letter,* **135**
Brilstra EH *see* Hop JW *et al*
Brink NS *et al.* Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
Broadley S *see* Coraddu F *et al*
Broder N *see* Guieu R *et al*
Bronnum-Hansen H *see* Koch-Henriksen N *et al*
Bronstein AM *see* Colebatch JG *et al*
see Janssen JC *et al*
see Morland AB *et al*
Brooks DJ *see* Alusi SH *et al*
Brotchie JM *see* Fox SH *et al*
Brown J *et al.* Familial dementia lacking specific pathological features presenting with clinical features of corticobasal degeneration, **600**
Brown MM *see* Pereira AC *et al*
Brown MM, Bevan D. Is inherited thrombophilia a risk factor for arterial stroke?: *commentary,* **617**
Brown P *see* Barker RA *et al*
see Wills AJ *et al*
Brown S *see* Chandler BJ and Brown S
Brucher R *see* Brækken SK *et al*
Brue T *see* Guieu R *et al*
Brusa L *see* Wills AJ *et al*
Buchel C *see* Bahra A *et al*
Bullmore ET *see* Werring DJ *et al*
Bungener C *et al.* Psychopathological and emotional deficits in myotonic dystrophy, **353**
Buonanno FS *see* Ay H *et al*
Burbeaud P *see* Lagueny A *et al*
Burgneay J *see* Yardley L *et al*
Burn DJ, Bates D. Neurology and the kidney: *review,* **810**
Burrows DA, Bamford JM. A potential explanation for plexitis in drug misusers: *proceedings,* **426**
Bushby K *see* White K *et al*
Byrne E *see* Sue CM *et al*
Byrne J *see* Hadjivassiliou M *et al*

Caldwell FE *see* Wade DT *et al*
Calvert T *et al.* Psychological associations with emotionalism after stroke, **928**
Carter S *see* Harrison MJG *et al*
Caruana PA *see* Davies MB *et al*
Casasco A *see* Cognard C *et al*
Castiello U *see* Bennett KMB *et al*
Catalan J *see* Baldeweg T *et al*
Cates CA, Newman DK. Transient monocular visual loss due to uveitis-glaucoma-hyphaema (UGH) syndrome: *lesson of the month,* **131**
Cauraugh JH *see* Behrman AL *et al*
Cavanagh JB. Spinal corpora amylacea and motor neuron disease: a quantitative study, **488**
Ceccaldi M *see* Ferreira CT *et al*
Ceranic BJ *et al.* Tinnitus after head injury: evidence from otoacoustic emissions, **523**
Chadwick D, Johnson AL. Do different antiepileptic drugs have different effects on the natural history of epilepsy?: *proceedings,* **417**
Chan DKY *et al.* Genetic and environmental risk factors for Parkinson's disease in a Chinese population, **781**
Chandler BJ, Brown S. Sex and relationship dysfunction in neurological disability, **877**
Chandy MJ *see* Mathew JM *et al*
Chang YS *see* Jeon B *et al*
Channer KS *see* Sivaguru A *et al*
Chataway J *see* Coraddu F *et al*
Chaudhuri KR *see* Flowers J *et al*
Chawla JC *see* Pickersgill TP *et al*
Chérin P *see* Pautas E *et al*
Chinn RJ *see* Sadier M *et al*
Chinnery PF *et al.* Mitochondrial DNA defects: do the molecular genetic tests help us to predict prognosis?: *proceedings,* **418**
Chiras J *see* Cognard C *et al*
Chiron C *see* Jambaqué I *et al*
Churchyard A *see* Coyle J *et al*
Cipolotti L *see* Maguire EA and Cipolotti L
Clark CA *see* Werring DJ *et al*
see Wieshmann UC *et al*
Clayton D *see* Coraddu F *et al*
Cleveland TJ *see* Sivaguru A *et al*
Clough C *see* Flowers J *et al*
Codina A *see* Marzo ME *et al*
Cognard C *et al.* Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**
Colebatch JG *et al.* Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon, **670**
Coles AJ *et al.* Pulsed monoclonal antibody treatment of multiple sclerosis suppresses new lesion formation but not the progression of disability or cerebral atrophy: *proceedings,* **414**
Colquhoun I *see* Alusi SH *et al*
Compston A *see* Coles AJ *et al*
see Coraddu F *et al*
Compston DAS *see* Robertson NP *et al*
see Robertson P *et al*
Confavreux C *see* Murphy N *et al*
Cookson J *see* Ganesan V *et al*
Cookson M *see* White K *et al*
Coppini DV *et al.* The natural history of diabetic peripheral neuropathy determined by a 12 year study using validated vibration perception thresholds: *proceedings,* **423**
Coraddu F *et al.* HLA conditioning in a multiple sclerosis genome screen: *proceedings,* **414**
Coric V *et al.* Carbon monoxide poisoning and treatment with hyperbaric oxygen in the subacute phase, **245**
Cornblath DR *see* Lauria G *et al*
Counihan TJ, Penney Jr JB. Regional dopamine transporter gene expression in the substantia nigra from control and Parkinson's disease brains, **164**
Cox IJ *see* Puri BK *et al*
Cox T *see* Koutroumanidis M *et al*
Coyle J *et al.* Autonomic effects of selegiline: possible cardiovascular toxicity in Parkinson's disease: *correspondence,* **280**
Craig JJ *et al.* The new antiepileptic drugs in pregnancy: an ongoing register in the United Kingdom: *proceedings,* **421**
Crawford S *see* Wade DT *et al*
Crimmins DS *see* Sue CM *et al*
Crossman AR *see* Fox SH *et al*
Croxen R *see* Nichols P *et al*
Crum WR *see* Fox NC *et al*
Cummings JL *see* Litvan I *et al*
Curio G *see* Vogeley K and Curio G
Cuzner ML *see* Gutowski NJ *et al*
Czosnyka M *see* Czosnyka Z *et al*
see Raabe A *et al*
Czosnyka Z *et al.* Chhabra hydrocephalus shunt: lessons for gravitational valves: *letter,* **406**

Daniel SE *see* Schrag A *et al*
D'Arrigo C *see* Larner AJ *et al*
Daugaard D *et al.* No relation between cephalic venous dilatation and pain in migraine, **260**
Davey NJ *see* Puri BK *et al*
Davey NJ *et al.* Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury, **80**
Davies GAG *see* Linssen WHJP and Davies GAG
Davies M *see* Kapoor R *et al*
see Mann C *et al*
Davies MB *et al.* Visual pathway MRI: an additional measure of visual psychophysical deficit in acute optic neuritis: *proceedings,* **426**
Davies RA *see* Colebatch JG *et al*
Davies RB *see* Mitchell JD *et al*
Davis A *see* Garey LJ *et al*
Dawson B *see* Silbert PL *et al*
Day BL *see* Colebatch JG *et al*
Day NPJ *see* Solomon T *et al*
de Aloe G *see* Rubegni P *et al*
Deaney C *et al.* Intravesical atropine suppression of detrusor hyperreflexia in multiple sclerosis: *letter,* **957**
Deans J *see* Robertson NP *et al*

see Robertson P *et al*
Deb S *et al.* Neuropsychiatric sequelae one year after a minor head injury, **899**
Defebvre L *see* Krystkowiak P *et al*
de Haan E *see* van Zandvoort M *et al*
del Zoppo GJ *et al.* Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke: *editorial*, **1**
de La Monte S *see* Brecher K *et al*
Delaporte C *see* Bungener C *et al*
Deliac P *see* Lagueny A *et al*
Denislic M *et al.* Sjögren's syndrome in patients with chronic idiopathic axonal polyneuropathy: *correspondence*, **138**
Dennis MS. FOOD (feed or ordinary diet): *proceedings*, **419**
Denslow ND *see* Rand KH *et al*
Denton M *see* Reuber M and Denton M
Derex L *et al.* Postpartum cerebral venous thrombosis, congenital protein C deficiency, and activated protein C resistance due to heterozygous factor V Leiden mutation: *letter*, **801**
Desai P. Dexamethasone not necessarily unsafe in primary supratentorial intracerebral haemorrhage: *letter*, **799**
Destée A *see* Krystkowiak P *et al*
Deuschl G *see* Hemmer B *et al*
Devaux C *see* Guieu R *et al*
Devinsky O *see* Perrine K *et al*
de Visser M *see* Oerlemans WGH and de Visser M
Devoize JL *see* Prat C *et al*
Diener HC *see* Mummel P *et al*
see Timmann D *et al*
di Marco R *see* Nicoletti F *et al*
Dogali M *see* Perrine K *et al*
Dougherty PM *see* Lenz FA *et al*
Downing ME *et al.* Cue dependent right hemineglect in schizophrenia: a kinematic analysis, **454**
Doyle VL *see* Pereira AC *et al*
Droogan AG *see* McDonnell GV *et al*
Dufour H *see* Guieu R *et al*
Duncan JS *see* Everitt AD *et al*
see Kinton L and Duncan JS
see Woermann FG *et al*
Duncan JS. Interictal focal activity in temporal lobe epilepsy: *commentary*, **149**
Dung NM *see* Solomon T *et al*
Durieu I *see* Hénon H *et al*
Durinovic-Bello I *see* Hummel M *et al*
Duyff RF, Vos J. A "scar" and epilepsy: coup de sabre, **568**

Edwards S *see* Liu C *et al*
Eidelberg D *see* Perrine K *et al*
Elger CE *see* Gleißner U *et al*
Elkington P *see* Larner AJ *et al*
Ellaway PH *see* Davey NJ *et al*
see Puri BK *et al*
Ellis CM *see* Hu MTM *et al*
Ellis WG *see* Lee EK *et al*
Elwes RDC *see* Koutroumanidis M *et al*
Emilia-Romagna Study Group. Guillain-Barré syndrome variants in Emilia-Romagna, Italy, 1992–3: incidence, clinical features, and prognosis, **218**
Endl J *see* Hummel M *et al*
Enevoldson TP *see* Kellett MW *et al*
see Martin PJ and Enevoldson TP
Engel Jr J *see* Savic I and Engel Jr J
Enjalbert A *see* Guieu R *et al*
Ertekin C *et al.* Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
Esiri MM *et al.* Prevalence of Alzheimer plaques in AIDS, **29**
European Inflammatory Neuropathy Cause and Treatment (INCAT) group *see* Martina ISJ *et al*
Evangelou N *et al.* Lesion probability maps (LPMs) demonstrate identical spatial distribution of the T1 hypointense and T2 hyperintense brain lesion in multiple sclerosis: *proceedings*, **422**
Everitt AD *et al.* A prospective MRI study of the aetiology of epileptic seizures in a large community based cohort: *proceedings*, **417**
Evers S *see* Gledhill RF and Evers S

Fabregues O *see* Marzo ME *et al*
Facer P *see* Kennedy AJ *et al*
see Kennedy AJ *et al*
Facer P *et al.* Decreased nerve growth factor immunostaining in skin basal keratinocytes and loss of intraepidermal innervation precedes sensory loss determined by quantitative testing in leprosy: *proceedings*, **424**
Fahn S *see* Ford B *et al*
Farmer SF *see* Janssen JC *et al*
see Larner AJ *et al*
Fazzini E *see* Perrine K *et al*
Feakes R *see* Coraddu F *et al*
Federlein J *et al.* Central pontine myelinolysis causes bilateral loss of deep sensitivity and pseudochoreoathetosis: *letter*, **607**
Felblinger J *see* Müri RM *et al*
Felopulos GJ *see* Beversdorf DQ *et al*
Fénelon G *see* Hughes TA *et al*
Fenger K *see* Jensen P *et al*
Ferbert A *see* Boroojerdi B *et al*
see Schulze-Bonhage A and Ferbert A
Ferrari MD *see* Haan J *et al*
Ferreira CT *et al.* Separate visual pathways for perception of actions and objects: evidence from a case of apperceptive agnosia, **382**
Feske SK *see* Simon DK *et al*
Fessele S *see* Hummel M *et al*
Fimiani M *see* Rubegni P *et al*
Findley LJ *see* Alusi SH *et al*
Flahault A *see* Hughes TA *et al*
Flash T *see* Plotnik M *et al*
Fleminger S. Neuropsychiatric sequelae one year after a minor head injury: *commentary*, **809**
Flemming S *see* Ward N *et al*
Fletcher A *see* Molyneux PD *et al*
Flowers J *et al.* The value of outpatient nurse led apomorphine tests in Parkinson's disease: *proceedings*, **426**
Folli F. Stiff man syndrome, 40 years later: *commentary*, **618**
Ford B *et al.* Outcome of selective ramisectomy for botulinum toxin resistant torticollis, **472**
Ford H *see* Nathan R *et al*
Ford HL *et al.* Living with multiple sclerosis: *proceedings*, **420**
Ford KS *see* Graham JM *et al*
see Graham JM *et al*
Foster D *see* Davies MB *et al*
Fouyas I *see* Sandercock P *et al*
Fowler CJ *see* Harrison MJG *et al*
see Hoverd PA and Fowler CJ
Fox JD *see* Brink NS *et al*
Fox NC *et al.* Presymptomatic brain atrophy in familial Alzheimer's disease: progression and rates of tissue loss: *proceedings*, **417**
Fox SH *et al.* A novel therapeutic approach to the treatment of Parkinson's disease based on blockage of NR2B containing NMDA receptors in the striatum: *proceedings*, **416**
Frackowiak RSJ *see* Bahra A *et al*
Franconi F *see* Wieshmann UC *et al*
Frank JA *see* Tedeschi G *et al*
Frankel HL *see* Davey NJ *et al*
see Puri BK *et al*
Freeman JA *see* van der Putten JJMF *et al*
French JM *see* O'Connell JE *et al*
Frisoni GB *et al.* The prevalence of apoE-ε4 in Alzheimer's disease is age dependent, **103**
Frosch MP *see* Simon DK *et al*
Fujii K *see* Nakane H *et al*
Fujishima M *see* Nakane H *et al*
Fukutake T, Hattori T. Reversible hydromyelia in a synchronised swimmer with recurrent thoracic girdle pains: *letter*, **606**
Fuller GN *et al.* Anxiety, depression, symptom distress, and symptom amplification in neurology outpatients: *proceedings*, **418**
Funk G *see* Seiser A *et al*

Gaines PA *see* Sivaguru A *et al*
Gallagher H *see* Molyneux PD *et al*
Gambon J *see* Thomas PK *et al*
Ganesan V *et al.* Inherited prothrombotic states and ischaemic stroke in childhood, **508**
García-Baez P *see* Méndez E *et al*
Garey LJ *et al.* Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia, **446**
Gass A. High resolution magnetic resonance imaging in peripheral vestibular dysfunction in multiple sclerosis , **945**
Gatrell AC *see* Mitchell JD *et al*
Gazzard BG *see* Baldeweg T *et al*
see Sadier M *et al*
Geminiani G *et al.* Dopaminergic stimulation in unilateral neglect, **344**
Gerber C *see* Kumar R and Gerber C
Geroldi C *see* Frisoni GB *et al*
Gerry E *see* Ford HL *et al*
Gerstenberg T *see* Jensen LN *et al*
Giampietro VP *see* Werring DJ *et al*
Giannakodimos S *see* Bleck TP *et al*
Giffin N *see* Fuller GN *et al*
Girlanda P *see* Quartarone A *et al*
Giuffrida S *see* Nicoletti F *et al*
Giunti P *et al.* Autosomal dominant cerebellar ataxia type ii: genetic and clinical study: *proceedings*, **416**
Giusiano B *see* Ferreira CT *et al*
Gledhill RF, Evers S. Secondary hyperkalaemic paralysis: *correspondence*, **614**
Gleißner U *et al.* Right hippocampal contribution to visual memory: a presurgical and postsurgical study in patients with temporal lobe epilepsy, **665**
Glickman S *see* Deaney C *et al*
Glocker FX *see* Hemmer B *et al*
Gluck T *see* Deaney C *et al*
Goadsby PJ *see* Bahra A *et al*
Godoy N *see* Kownacki JD *et al*
Gong Q *see* Liu C *et al*

Goodfellow PN *see* Coraddu F *et al*
Goodwin GM *see* Blackwood SK *et al*
Graham CA *see* McDonnell GV *et al*
Graham DI *see* McCarron MO *et al*
Graham EM *see* Kidd D *et al*
Graham JM *et al.* Olanzapine in the treatment of hallucinosis in idiopathic parkinson's disease: a cautionary note, **774**
Olanzapine treatment and the neurochemical basis of hallucinosis in idiopathic Parkinson's disease: *proceedings*, **416**
Grant PJ *see* Lansbury J and Grant PJ
Gray CS *see* O'Connell JE *et al*
Green S *see* Al-Memar AY *et al*
Greene P *see* Ford B *et al*
Gresty MA *see* Colebatch JG *et al*
Griffin JW *see* Lauria G *et al*
Griffiths JR *see* Pereira AC *et al*
Grino M *see* Guieu R *et al*
Grisoli F *see* Guieu R *et al*
Guieu R *et al.* The hormonal response to stress is not modified by the dramatic decrease in prolactin plasma concentration during surgery for microprolactinoma, **502**
Guilleminault C *et al.* Sleep and neuromuscular disease: bilevel positive airway pressure by nasal mask as a treatment for sleep disordered breathing in patients with neuromuscular disease, **225**
Guiloff RJ *see* Stephens B *et al*
see Tan SV and Guiloff RJ
Guimarães ML *see* Mendes-Ribeiro JA *et al*
Guinan EM *et al.* Cognitive effects of pituitary tumours and their treatments: two case studies and an investigation of 90 patients, **870**
Gunn B *see* Molyneux PD *et al*
Gupta S *see* Raabe A *et al*
Gutbrod K *see* Ptak R *et al*
Gutowski NJ *et al.* Tenascin matrix changes in multiple sclerosis lesions: *proceedings*, **422**
Gutrecht JA *see* Murphy DK and Gutrecht JA

Ha DQ *see* Solomon T *et al*
Haan J *et al.* Prothrombotic mutations and ischaemic stroke at a young age in two sisters: *letter*, **958**
Haas J *see* Murphy N *et al*
Haas LF. Jean Baptiste van Helmont (1577–1644), **916**
Hermann von Helmholtz (1821–94), **766**
Carlos Juan Finlay y Barres (1833-1915), **268**
Ferdinand Jakob Heinrich von Müller (1825-96), **9**
Ivan Mikhailovich Sechenov (1829-1905), **554**
Jean Alfred Fournier (1832-1914), **373**
Hachinski V *see* Bowler JV *et al*
Hadjivassiliou M *et al.* Is it the haemorrhage or the surgery that dictates the outcome after aneurysmal subarachnoid haemorrhage?: *proceedings*, **415**
Hagell P *see* Pietz K *et al*
Hale G *see* Coles AJ *et al*
Hall SM *see* Kapoor R *et al*
Hall-Craggs MA *see* Harrison MJG *et al*
Hallett M *see* Lenz FA *et al*
Hamann GF *see* del Zoppo GJ *et al*
Hann I *see* Ganesan V *et al*
Hanna MG *et al.* Ion channels and neurological disease: DNA based diagnosis is now possible, and ion channels may be important in common paroxysmal disorders: *editorial*, **427**
MELAS: a new disease associated mitochondrial DNA mutation and evidence for further genetic heterogeneity, **512**
Salbutamol treatment in a patient with hyperkalaemic periodic paralysis due to a mutation in the skeletal muscle sodium channel gene (SCN4A), **248**
Haq N *see* Davies MB *et al*
Haring A *see* Brieger P *et al*
Harrison MJG *see* Brink NS *et al*
Harrison MJG *et al.* Evidence of CNS impairment in HIV infection: clinical, neuropsychological, EEG, and MRI/MRS study, **301**
Harrison PJ. Schizophrenia neuropathology: tortoises and hares: *commentary*, **432**
Hart PE *et al.* Suppression of pendular nystagmus by alcohol in a patient with multiple sclerosis: *proceedings*, **424**
Hashimoto M *see* Hirono N *et al*
Hattori H *see* Ikeda A *et al*
Hattori T *see* Asahina M *et al*
see Fukutake T and Hattori T
Hauer PE *see* Lauria G *et al*
Haun D *see* Schaller C *et al*
Haverkamp F *see* Nogues M *et al*
Hawkins CP *see* Davies MB *et al*
see Mann C *et al*
Hawkins SA *see* McDonnell GV *et al*
Hawkins SA *et al.* Benign multiple sclerosis (MS)? A 10 year follow up: *proceedings*, **414**
Healy J *see* Sadier M *et al*
Heid O *see* Müri RM *et al*
Heilman KM *see* Beversdorf DQ *et al*
see Mark VW and Heilman KM
see Rand KH *et al*

Heinonen E *see* Coyle J *et al*
Helisalmi S *see* Juottonen K *et al*
Helmstaedter C *see* Gleißner U *et al*
Hemmer B *et al.* Subacute combined degeneration: clinical, electrophysiological, and magnetic resonance imaging findings, **822**
Hennerici MG *see* Gass A *et al*
Hénon H *et al.* Medial temporal lobe atrophy in stroke patients: relation to pre-existing dementia, **641**
Henry B *see* Fox SH *et al*
Herath H *see* Boroojerdi B *et al*
Herson S *see* Pautas E *et al*
Herzog AG. Reversible proximal myopathy in epilepsy related Cushing's syndrome: *letter*, **134**
Hess CW *see* Müri RM *et al*
Hidai H *see* Komiyama A *et al*
Hildebrand J *see* Setta F *et al*
Hill MP *see* Fox SH *et al*
Hille C *see* Fox SH *et al*
Hillier CEM. Intravenous immunoglobulin dependent inflammatory radiculopathy presenting as lumbar canal stenosis: *letter*, **802**
Hilz MJ *et al.* Highly abnormal thermotests in familial dysautonomia suggest increased cardiac autonomic risk, **338**
Hirata K *see* Tagawa Y *et al*
Hirayama M *see* Terao S *et al*
Hirono N *et al.* Regional metabolism: associations with dyscalculia in Alzheimer's disease, **913**
Hirsch SR *see* Garey LJ *et al*
Ho SC *see* Chan DKY *et al*
Hobart JC *see* van der Putten JJMF *et al*
Hobson P *see* Coyle J *et al*
Hochberg FH *see* Brecher K *et al*
Hodges JR *see* Perry RJ and Hodges JR
see Rakowicz WP and Hodges JR
Hodgson TL *see* Hart PE *et al*
Holmes J *et al.* Qualify of life in multiple sclerosis: *proceedings*, **420**
Holmes PA *et al.* Asymptomatic cerebral ischaemic lesions detected by serial magnetic resonance imaging: *proceedings*, **422**
Hongo J *see* Facer P *et al*
see Saldanha G *et al*
Hop JW *et al.* Transient amnesia after perimesencephalic haemorrhage: the role of enlarged temporal horns, **590**
Horak FB *see* Mummel P *et al*
Houck H *see* Rand KH *et al*
Houdart E *see* Cognard C *et al*
House A *see* Calvert T *et al*
Hoverd PA, Fowler CJ. Desmopressin in the treatment of daytime urinary frequency in patients with multiple sclerosis, **778**
Howard MR *see* Brink NS *et al*
Howe FA *see* Pereira AC *et al*
Howell N *see* Chinnery PF *et al*
Hu MTM *et al.* Flail arm syndrome: a distinctive variant of amyotrophic lateral sclerosis: *letter*, **950**
Hughes TA *et al.* Neuropsychological prediction of dementia in Parkinson's disease: *correspondence*, **804**
The incidence and associations of dementia in Parkinson's disease: *proceedings*, **422**
Hui E *see* Chan DKY *et al*
Hummel M *et al.* Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus, **204**
Humphrey PRD *see* Kellett MW *et al*
Hung WT *see* Chan DKY *et al*
Hunn M *et al.* Granulomatous angiitis of the CNS causing spontaneous intracerebral haemorrhage: the importance of leptomeningeal biopsy: *letter*, **956**
Hutchinson J *see* Mann C *et al*

Ibayashi S *see* Nakane H *et al*
Ikeda A *et al.* Gynaecomastia in association with phenytoin and zonisamide in a patient having a CYP2C subfamily mutation: *letter*, **803**
Imamura T *see* Hirono N *et al*
Inaba A *see* Yokota T *et al*
Ince P *see* White K *et al*
Inokawa M *see* Abe K *et al*
Inoue O *see* Asahina M *et al*
Inzelberg R *see* Plotnik M *et al*
Irie K *see* Nakane H *et al*
Ironside JW *see* Schultz DW *et al*
Ishii K *see* Hirono N *et al*
Ishii K *et al.* Dorsolateral pontine segmental infarction presenting as isolated trigeminal sensory neuropathy, **702**
Iwabuchi K *see* Yokota T *et al*

Jacquy J *see* Setta F *et al*
Jambaqué I *et al.* Autism and visual agnosia in a child with right occipital lobectomy, **555**
Janavs JL, Aminoff MJ. Dystonia and chorea in acquired systemic disorders: *review*, **436**
Jankovic J *see* Sankhla C *et al*
Jankovic J. Re-emergence of surgery for dystonia: *commentary*, **434**

Janssen JC *et al.* Upbeat nystagmus: clinicoanatomical correlation, **380**
Jaquet P *see* Guieu R *et al*
Jean-Francois MJB *see* Sue CM *et al*
Jen JC *et al.* Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia, **565**
Jensen LN *et al.* Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**
Jensen P *et al.* Crime in Huntington's disease: a study of registered offences among patients, relatives, and controls, **467**
Jeon B *et al.* Dopamine transporter imaging with [I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease, **60**
Jeong JM *see* Jeon B *et al*
Jindal A, Mahapatra AK. Correlation of ventricular size and transcranial Doppler findings before and after ventricular peritoneal shunt in patients with hydrocephalus: prospective study of 35 patients, **269**
J-L *see* Murphy N *et al*
Johnson AL *see* Chadwick D and Johnson AL
Johnson M *see* Nathan R *et al*
Johnson MH *see* Ford HL *et al*
Jolobe OMP, Machale S. Depression and its relation to lesion location after stroke: *correspondence*, **410**
Jones HB *see* Coraddu F *et al*
Jones P *see* Mann C *et al*
Jouvent R *see* Bungener C *et al*
Jowett NI. Severe weight loss after withdrawal of chronic pizotifen treatment: *letter*, **137**
Juottonen K *et al.* Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele, **322**
Juptner M *see* Timmann D *et al*
Jurkat-Rott K *see* Orrell RW *et al*

Kaar GF *see* Mackenzie AR *et al*
Kaji M *see* Sato Y *et al*
see Sato Y *et al*
Kakar A *et al.* Barium carbonate intoxication: an electrophysiological study: *letter*, **606**
Kallestrup EB *see* Jensen LN *et al*
Kanani M *see* Garey LJ *et al*
Kanemoto K *et al.* Posticta psychosis as a risk factor for mood disorders after temporal lobe surgery, **587**
Kapoor R *et al.* Nitric oxide causes axonal degeneration which is exacerbated by impulse activity: *proceedings*, **415**
Kappelle L *see* van Zandvoort M *et al*
Kappelle LJ *see* Haan J *et al*
Kaprio J *see* Räihä I *et al*
Karadimas C *see* Panas M *et al*
Karp BI *see* Lenz FA *et al*
Karrim J *see* Jen JC *et al*
Kashihara K, Koga M. IgG Anti-GT1a antibodies which do not cross react with GQ1b ganglioside in a pharyngeal-cervical-brachial variant of Guillain-Barré syndrome: *letter*, **799**
Kashiwagi A *see* Abe K *et al*
Kater L *see* Denislic M *et al*
Kawamoto S *see* Kurita H *et al*
Kawasaki J *see* Kanemoto K *et al*
Kay R *see* Chan DKY *et al*
Kazui H *see* Hirono N *et al*
Kee F *see* Hawkins SA *et al*
Kellett MW *et al.* Cerebral venous sinus thrombosis associated with 20210A mutation of the prothrombin gene: *letter*, **611**
Hyperekplexia and trismus due to brainstem encephalopathy, **122**
Kendall BE *see* Harrison MJG *et al*
Kennard C *see* Hart PE *et al*
Kennedy AJ *et al.* Neurotrophin-3 is increased in skin in human diabetic neuropathy, **393**
Neurotrophin-3 is increased in skin in human diabetic neuropathy: *proceedings*, **424**
Khanh VC *see* Solomon T *et al*
Kidd D. Pontine inflammatory lesion due to shingles, **208**
Kidd D *et al.* Metastatic choriocarcinoma presenting as multiple intracerebral haemorrhages: the role of imaging in the elucidation of the pathology, **939**
Kim JM *see* Jeon B *et al*
Kim KM *see* Jeon B *et al*
Kimber J *et al.* Chronic cough in the Holmes-Adie syndrome: association in five cases with autonomic dysfunction, **583**
Kimura J *see* Ikeda A *et al*
King M *see* McCabe DJH *et al*
King NS *see* Wade DT *et al*
King RHM *see* Thomas PK *et al*
Kingsley D *see* Schrag A *et al*
Kinton L, Duncan JS. Frequency, causes, and consequences of burns in patients with epilepsy: *letter*, **404**
Kirino T *see* Kurita H *et al*
Kirk CW *see* McDonnell GV *et al*
Kirkham FJ *see* Ganesan V *et al*
Kitazono T *see* Nakane H *et al*
Knapp P *see* Calvert T *et al*
Kneen R *see* Solomon T *et al*
Knowles CH *et al.* Peripheral sensory dysfunction in a kindred of multiple endocrine neoplasia type 2A with a codon 634 mutation of the RET proto-oncogene: *proceedings*, **425**
Koch-Henriksen N *et al.* Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry, **56**
Koefoed P *see* Jensen LN *et al*
Koga M *see* Kashihara K and Koga M
Kolb FP *see* Timmann D *et al*
Kolodny E *see* Perrine K *et al*
Kolodny EH *see* Hilz MJ *et al*
Komiyama A *et al.* Urinary retention associated with a unilateral lesion in the dorsolateral tegmentum of the rostral pons: *letter*, **953**
König N *see* Murphy N *et al*
Kopelman MD *see* Guinan EM *et al*
see Lewis P and Kopelman MD
Kopelman P *see* Kennedy AJ *et al*
see Kennedy AJ *et al*
Kopelman PG *see* Wellmer A *et al*
Korczyn AD *see* Plotnik M *et al*
Koroshetz WJ *see* Ay H *et al*
Korten AGGC *et al.* Intracranial chondrosarcoma: review of the literature and report of 15 cases, **88**
Koskenvuo M *see* Räihä I *et al*
Kotsimbos N *see* Sue CM *et al*
Koutroumanidis M *see* Bleck TP *et al*
Koutroumanidis M *et al.* Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with FDG PET: neurophysiological and metabolic implications, **170**
Koutzoukis C *see* Deb S *et al*
Kownacki JD *et al.* Subependymal thalamic haemorrhage due to a thalamoperforating artery aneurism, **669**
Krause UWH *see* Mummel P *et al*
Krauss JK *see* Kownacki JD *et al*
Kravitz RE *see* Coric V *et al*
Kristensen B *et al.* Effects of transient and persistent cerebrospinal fluid drainage on sleep disordered breathing in patients with idiopathic adult hydrocephalus syndrome, **497**
Kruize AA *see* Denislic M *et al*
Krystkowiak P *et al.* Dystonia after striatopallidal and thalamic stroke: clinicoradiological correlations and pathophysiological mechanisms, **703**
Kubota A *see* Komiyama A *et al*
Kullmann DM *see* Hanna MG *et al*
Kumar R, Gerber C. Resolution of extensive spinal epidural haematoma with conservative treatment: *letter*, **949**
Kurita H *et al.* Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery, **648**
Kurokawa K *et al.* A case of pandysautonomia with associated sensory ganglionopathy: *letter*, **278**
Kuzuhara S *see* Sasaki R *et al*
Kwok T *see* Chan DKY *et al*

Ladiwala U *see* Facer P *et al*
Lagueny A *et al.* Single fibre electromyography in multifocal motor neuropathy with persistent conduction blocks, **357**
Lai EC *see* Sankhla C *et al*
Laing RBS *see* Mackenzie AR *et al*
Lamer AJ. Mechanisms of neurite growth inhibition induced by amyloid β-peptide Aβ25-35: *proceedings*, **414**
Lampasona V *see* Hummel M *et al*
Lane RJM *see* Orrell RW *et al*
Lang B *see* Maddison P *et al*
Langan Y *et al.* Sudden death in epilepsy: a series of witnessed deaths: *proceedings*, **417**
Lansbury J, Grant PJ. Haemostatic variables in subjects with a family history of stroke: *proceedings*, **419**
Lantos PL *see* Brown J *et al*
Larner AJ *see* Janssen JC *et al*
Larner AJ *et al.* Multifocal cortical myoclonus and cerebral amyloid β-peptide angiopathy: *letter*, **951**
"Non-neuroleptic malignant" syndrome: *letter*, **613**
Lauria G *et al.* Neuropathological alterations in diabetic truncal neuropathy: evaluation by skin biopsy, **762**
Law LK *see* Chan DKY *et al*
Lawrie SM *see* Blackwood SK *et al*
Le DA *see* Ay H *et al*
Leary SM *see* Stevenson VL *et al*
Lee DS *see* Jeon B *et al*
Lee EK *et al.* Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma, **857**
Lee M *see* Evangelou N *et al*
Lee MC *see* Jeon B *et al*
Lee M *et al.* Probabilistic lesion frequency maps of T2 and gadolinium enhancing T1 lesion volumes in multiple sclerosis: evidence for distinct mechanisms of lesion genesis: *proceedings*, **420**

Leel-Őssy L. Corpora amylacea in hippocampal sclerosis: *correspondence*, **614**
Lees A *see* Coyle J *et al*
Lees AJ *see* Schrag A *et al*
Lehmann-Horn F *see* Orrell RW *et al*
Lehtovirta M *see* Juottonen K *et al*
Leigh PN *see* Hu MTM *et al*
Leigh RJ. Oscillopsia: impaired vision during motion in the absence of the vestibulo-ocular reflex: *commentary*, **808**
le Katona C *see* Shergill SS *et al*
le Masson G *see* Lagueny A *et al*
Lennox GG *see* Schultz DW *et al*
Lenz FA *et al.* Pallidal activity during dystonia: somatosensory reorganisation and changes with severity, **767**
Leung MF *see* Chan DKY *et al*
Levy I *see* Saldanha G *et al*
Lewis P *see* Stephens B *et al*
Lewis P, Kopelman MD. Forgetting rates in neuropsychiatric disorders, **890**
Lewis PDR *see* Guinan EM *et al*
Leys D *see* Hénon H *et al*
see Krystkowiak P *et al*
Liesner R *see* Ganesan V *et al*
Lightowlers RN *see* Chinnery PF *et al*
Lindsay RM *see* Kennedy AJ *et al*
see Kennedy AJ *et al*
Linke R *see* Borasio GD *et al*
Linn FHH *et al.* Headache characteristics in subarachnoid haemorrhage and benign thunderclap headache, **791**
Linssen WHJP *see* Denislic M *et al*
Linssen WHJP, Davies GAG. A giant cauda equina ependymoma, **71**
Litvan I *et al.* Neuropsychiatric features of corticobasal degeneration, **717**
Liu C *et al.* Longitudinal infratentorial volumes and disability in multiple sclerosis: *proceedings*, **426**
Loko M *see* Prat C *et al*
Losseff NA *see* Stevenson VL *et al*
Louis DN *see* Brecher K *et al*
Louis ED *see* Ford B *et al*
Lowy C *see* Guinan EM *et al*
Lucking CH *see* Hemmer B *et al*
Lucotte G. Lack of mutation G209A in the α-synuclein gene in French patients with familial and sporadic Parkinson's disease: *letter*, **948**
Ludolph AC *see* Meyer T *et al*
Lundberg PO. Creutzfeldt-Jakob disease in Sweden, **836**
Lunetta M *see* Nicoletti F *et al*
Lunn S *see* Harrison MJG *et al*
Luscombe DK *see* Tremlett HL *et al*
Luxon L *see* Yardley L *et al*
Luxon LM *see* Ceranic BJ *et al*
see Colebatch JG *et al*
Lyons I *see* Deb S *et al*
Lyons PR *see* Rao DG and Lyons PR

Mabuchi K *et al.* Pseudo-Argyll Robertson pupil of patients with spinocerebellar ataxia type 1 (SCA1): *letter*, **612**
Macaione V *see* Quartarone A *et al*
McArthur JC *see* Lauria G *et al*
McAuley JH, Marsden CD. Electrophysiological differentiation of organic from psychogenic tremor: *proceedings*, **416**
McCabe DJH *et al.* Typical Friedreich ataxia without GAA expansions/GAA expansions without typical Friedreich ataxia: *proceedings*, **415**
McCarron MO *et al.* A quartet of Down's syndrome, Alzheimer's disease, cerebral amyloid angiopathy, and cerebral haemorrhage: interacting genetic risk factors: *letter*, **405**
McCartney ACE *see* Kidd D *et al*
McCleane G. A prospective audit of the use of lamotrigine in 300 patients with chronic pain: *proceedings*, **425**
McDonnell GV *see* Hawkins SA *et al*
McDonnell GV *et al.* Association studies of transforming growth factor-beta (TGF-β) gene polymorphisms in multiple sclerosis (MS): *proceedings*, **423**
McEvoy AW, Mendoza ND. Pneumatic drill through the foramen magnum, **511**
Machale S *see* Jolobe OMP and Machale S
MacHale SM *see* Blackwood SK *et al*
Mackenzie AR *et al.* Spinal epidural abscess: the importance of early diagnosis and treatment, **209**
McNeill PM *see* Bennett KMB *et al*
McQuaid S *see* McCabe DJH *et al*
McShane MA *see* Ganesan V *et al*
Maddison P *et al.* Distribution of electrophysiological abnormality in Lambert-Eaton myasthenic syndrome, **213**
Long term outcome in the Lambert-Eaton myasthenic syndrome (LEMS): *proceedings*, **419**
Maguire EA, Cipolotti L. Selective sparing of topographical memory, **903**
Mahapatra AK *see* Jindal A and Mahapatra AK
Mahieux F *see* Hughes TA *et al*
Maisey MN *see* Koutroumanidis M *et al*
Malm J *see* Kristensen B *et al*
Malone-Lee JG *see* Deaney C *et al*
Mamoli B *see* Muellbacher W *et al*
Manfredi M *see* Frisoni GB *et al*
Mani J. Cerebellar ataxia due to lead encephalopathy in an adult: *letter*, **797**
Mann C *et al.* Polymorphisms in the IL-1RN and IL-1 beta gene influence disability in multiple sclerosis: *proceedings*, **423**
Manning SE *see* Beversdorf DQ *et al*
Manto M-U *see* Setta F *et al*
Marescaux C *see* Picard F *et al*
Mark VW, Heilman KM. Diagonal spatial neglect, **348**
Marsden CD *see* Barker RA *et al*
see Bhatia K *et al*
see McAuley JH and Marsden CD
see Neville BGR *et al*
see Wills AJ *et al*
Marsden P *see* Koutroumanidis M *et al*
Martin PJ *see* Kellett MW *et al*
Martin PJ. Disabling stroke arising five months after internal carotid artery dissection: *letter*, **136**
Martin PJ, Enevoldson TP. Vertebral aneurysm due to isolated spontaneous dissection of the intracranial vertebral artery, **946**
Martina ISJ *et al.* Measuring vibration threshold with a graduated tuning fork in normal aging and patients with polyneuropathy, **743**
Martinat P *see* Krystkowiak P *et al*
Marzo ME *et al.* Chronic inflammatory demyelinating polyneuropathy during treatment with interferon-α: *letter*, **604**
Maselli RA *see* Lee EK *et al*
Maskill DW *see* Davey NJ *et al*
see Puri BK *et al*
Mastaglia FL *et al.* Immunoglobulin therapy in inflammatory myopathies, **107**
Mathew JM *et al.* Shunt surgery in poor grade patients with tuberculous meningitis and hydrocephalus: effects of response to external ventricular drainage and other variables on long term outcome, **115**
Mathias CJ *see* Coyle J *et al*
see Kimber J *et al*
see Schrag A *et al*
Mathias CJ. Treatment of postural hypotension: *editorial*, **285**
Mathur R *see* Facer P *et al*
Matthews P *see* Evangelou N *et al*
see Lee M *et al*
Maus TP *see* Wijdicks EFM *et al*
May A *see* Bahra A *et al*
Mayes AR *see* Hadjivassiliou M *et al*
Meara J *see* Coyle J *et al*
Meencke HJ *see* Woermann FG *et al*
Mega M *see* Litvan I *et al*
Meh D *see* Denislic M *et al*
Mehta H *see* Larner AJ *et al*
Mendes-Ribeiro JA *et al.* Reduction in temporal N-acetylaspartate and creatine (or choline) ratio in temporal lobe epilepsy: does this ^{1}H-magnetic resonance spectroscopy finding mean poor seizure control?, **518**
Méndez E *et al.* Time resolution for visual information processing in Parkinson's disease, **921**
Mendoza ND *see* McEvoy AW and Mendoza ND
Menkes DB. Sodium valproate for tinnitus: *letter*, **803**
Menon DK *see* Raabe A *et al*
Merland J-J *see* Cognard C *et al*
Meroni P *see* Nicoletti F *et al*
Merskey H *see* Bowler JV *et al*
Messina C *see* Quartarone A *et al*
Metman LV *see* Lenz FA *et al*
Meyer T. Splicing of the glutamate transporter EAAT2: a candidate gene of amyotrophic lateral sclerosis: *letter*, **954**
Meyer T *et al.* The EAAT2 (GLT-1) gene in motor neuron disease: absence of mutations in amyotrophic lateral sclerosis and a point mutation in patients with hereditary spastic paraplegia, **594**
Mezaki T *see* Yamashita M *et al*
Miller D *see* Coles AJ *et al*
Miller DH *see* Molyneux PD *et al*
see Stevenson VL *et al*
see Werring DJ *et al*
Miller DH. Corticosteroids and multiple sclerosis: *commentary*, **290**
Miller R *see* Harrison MJG *et al*
Miller RF *see* Brink NS *et al*
Mills J *see* Flowers J *et al*
Mills K *see* Maddison P *et al*
Mills KR *see* Maddison P *et al*
Mindham RHS *see* Hughes TA *et al*
see Hughes TA *et al*
Misra VP *see* Knowles CH *et al*
Mitchell D *see* Kimber J *et al*
Mitchell JD *et al.* Geographical epidemiology of residence of patients with motor neuron disease in Lancashire and south Cumbria, **842**
M-Memar AY *see* Newman P *et al*

Molyneux P *see* Coles AJ *et al*
Molyneux PD. Successful treatment of intractable epilepsy partialis continua with multiple subpial transections: *letter*, **137**
Molyneux PD *et al.* Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques, **42**
Monson JP *see* Knowles CH *et al*
Montalbán X *see* Marzo ME *et al*
Moore D *see* McCabe DJH *et al*
Moore PM, Richardson B. Neurology of the vasculitides and connective tissue diseases: *review*, **10**
Moore R *see* Silbert PL *et al*
Moran G *see* Stone J *et al*
Morgan-Hughes JA *see* Hanna MG *et al*
see Hanna MG *et al*
Mori E *see* Hirono N *et al*
see Kanemoto K *et al*
Morland AB *et al.* Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex, **828**
Morris CS *see* Esiri MM *et al*
Morris H *see* Janssen JC *et al*
Morris JGL *see* Sue CM *et al*
Morrow JI *see* Craig JJ *et al*
Mortimer AM *see* Garey LJ *et al*
Moseley IF *see* Molyneux PD *et al*
Mossman S *see* Hunn M *et al*
Mottron L *see* Jambaqué I *et al*
Mozley PD *see* Borasio GD *et al*
Muddle JR *see* Thomas PK *et al*
Muellbacher W *et al.* Motor evoked potentials in unilateral lingual paralysis after monohemispheric ischaemia, **755**
Muller SP *see* Timmann D *et al*
Muller T *see* Federlein J *et al*
Mummel P *et al.* Postural responses to changing task conditions in patients with cerebellar lesions, **734**
Munch C *see* Meyer T *et al*
Munoz DG *see* Bowler JV *et al*
Muri RM *et al.* Functional organisation of saccades and antisaccades in the frontal lobe in humans: a study with echo planar functional magnetic resonance imaging, **374**
Murphy DK, Gutrecht JA. Lhermitte's sign in cavernous angioma of the cervical spinal cord: *letter*, **954**
Murphy N *et al.* Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**
Murphy RP *see* McCabe DJH *et al*
Murray NMF *see* Hanna MG *et al*
Murray-Lyon I *see* Perkin GD and Murray-Lyon I
Musa S *see* Hughes TA *et al*
Musso C *see* Timmann D *et al*
Myllylä V *see* Coyle J *et al*

Nadeau SE *see* Beversdorf DQ *et al*
Naito Y *see* Sasaki R *et al*
Nakane H *et al.* Cerebral blood flow and metabolism in patients with silent brain infarction: occult misery perfusion in the cerebral cortex, **317**
Narayanan S *see* Lee M *et al*
Nash JE *see* Fox SH *et al*
Nashef L *see* Langan Y *et al*
Nathan R *et al.* Effect of interferon-β on mood and suicidality in relapsing-remitting multiple sclerosis: *proceedings*, **422**
Nathan RN *see* Hughes TA *et al*
Natowicz MR *see* Simon DK *et al*
Naumann M *et al.* Depletion of neutralising antibodies resensitises a secondary non-responder to botulinum A neurotoxin, **924**
Navarrete R *see* Stephens B *et al*
Nazareth I *see* Yardley L *et al*
Nelson IP *see* Hanna MG *et al*
Nelson M *see* Ai-Shahi R *et al*
Nelson MR *see* Sadier M *et al*
Nelson SF *see* Jen JC *et al*
Neuner I *see* Hilz MJ *et al*
Neville BGR *et al.* Exercise induced steroid dependent dystonia, ataxia, and alternating hemiplegia associated with epilepsy, **241**
Newbery H *see* White K *et al*
Newcombe J *see* Gutowski NJ *et al*
Newman DK *see* Cates CA and Newman DK
Newman P *see* Stephens B *et al*
Newman P *et al.* IgA secreting solitary spinal plasmacytoma: *proceedings*, **424**
Newman PK *see* Blank SC *et al*
Newman SP *see* Harrison MJG *et al*
Newsom-Davis J *see* Maddison P *et al*
see Maddison P *et al*
see Nichols P *et al*
Ng PW *see* Chan DKY *et al*
Nichols P *et al.* Congenital myasthenia associated with a homozygous acetylcholine receptor gene promoter mutation: *proceedings*, **419**
Nicoletti A *see* Nicoletti F *et al*
Nicoletti F *et al.* Sodium fusidate in Guillain-Barré syndrome: a case report, **266**
Nicoll JAR *see* McCarron MO *et al*
Nicolosi C *see* Quartarone A *et al*
Nielsen JE *see* Jensen LN *et al*
Nighoghossian N *see* Derex L *et al*
Nikhar N *see* Stephens B *et al*
Nirkko AC *see* Müri RM *et al*
Nisalak A *see* Solomon T *et al*
Nogues M *et al.* Repeated syncopes and extended paediatric hydrosyringomyelia/Chiari I malformation: *correspondence*, **805**
Nordgren RE *see* Beversdorf DQ *et al*
Nordling J *see* Jensen LN *et al*
Notermans NC *see* Denislic M *et al*
see Thijs RD *et al*
Noth J *see* Boroojerdi B *et al*

Ochoa JL *see* Verdugo RJ and Ochoa JL
O'Connell JE *et al.* Atrial fibrillation and cognitive function: case-control study, **386**
Odani A *see* Ikeda A *et al*
Odin P *see* Pietz K *et al*
Oerlemans WGH, de Visser M. Dropped head syndrome and bent spine syndrome: two separate clinical entities or different manifestations of axial myopathy?, **258**
Ohta Y *see* Sato Y *et al*
Oizumi K *see* Sato Y *et al*
Olesen J *see* Daugaard D *et al*
Ong WY *see* Garey LJ *et al*
Onofrj M *et al.* Sudden appearence of invalidating dyskinesia-dystonia and off fluctuations after the introduction of levodopa in two dopaminomimetic drug naive patients with stage IV Parkinson's disease: *letter*, **605**
Oren DA *see* Coric V *et al*
Orr K *see* Chan DKY *et al*
Orrell RW *et al.* Familial cramp due to potassium-aggravated myotonia, **569**
O'Sullivan JD *see* Bennett KMB *et al*
Otagiri A *see* Yokota T *et al*
Oxbury S *see* Hadjivassiliou M *et al*
Ozdoba C *see* Müri RM *et al*

Paci C *see* Onofrj M *et al*
Padua L *see* Silbert PL *et al*
see Silbert PL *et al*
Padua R *see* Silbert PL *et al*
Palace J *see* Evangelou N *et al*
see Lee M *et al*
Paley M *see* Harrison MJG *et al*
Pall HS *see* Al-Memar AY *et al*
Pambakian ALM *see* Hart PE *et al*
Pamphlett R *see* Sue CM *et al*
Panas M *et al.* Central nervous system involvement in four patients with Charcot-Marie-Tooth disease with connexin 32 extracellular mutations: *letter*, **947**
Panayiotopoulos CP *see* Bleck TP *et al*
see Koutroumanidis M *et al*
Pandya SS *see* Facer P *et al*
Pang CP *see* Chan DKY *et al*
Pantelis C *see* Downing ME *et al*
Paolili A *see* Coles AJ *et al*
Park E *see* Ward N *et al*
Parker GJM *see* Werring DJ *et al*
Parker GTM *see* Stevenson VL *et al*
Pascual J, Quijano J. A case of chronic paroxysmal hemicrania responding to subcutaneous sumatriptan: *letter*, **407**
Pasquier F *see* Hénon H *et al*
Patel TS *see* Garey LJ *et al*
Patronas NJ *see* Tedeschi G *et al*
Pautas E *et al.* Cerebral Erdheim-Chester disease: report of two cases with progressive cerebellar syndrome with dentate abnormalities on magnetic resonance imaging, **597**
Pearce JMS. Early days of the tuning fork, **728**
see Roberts I *et al*
Peggs D *see* Fox SH *et al*
Pelletier S *see* Pautas E *et al*
Penney Jr JB *see* Counihan TJ and Penney Jr JB
Peppard RF *see* Bennett KMB *et al*
Pereira AC *et al.* Initial infarct volume and NAA concentration predict outcome in middle cerebral artery infarction: *proceedings*, **415**
Perkin GD, Murray-Lyon I. Neurology and the gastrointestinal system: *review*, **291**
Perlmutter JS *see* Racette BA and Perlmutter JS
Perrine K *et al.* Cognitive functioning after pallidotomy for refractory Parkinson's disease, **150**
Perry RJ, Hodges JR. Attentional deficits in early Alzheimer's disease: *proceedings*, **416**
Phatouros C *see* Schrag A *et al*
Philip P *see* Guilleminault C *et al*
Philippeau F *see* Derex L *et al*
Phillips BA *see* Mastaglia FL *et al*
Phillips JG *see* Downing ME *et al*

Picard F *et al.* Autosomal dominant paroxysmal kinesigenic choreoathetosis: a clinical and genetic study of two families: *letter,* **955**
Picciolo G *see* Quartarone A *et al*
Pickard JD *see* Czosnyka Z *et al*
see Raabe A *et al*
Pickersgill TP *et al.* Repeatability, accuracy, and variability of residual bladder volumes in patients with neurological disorders measured using a portable bedside ultrasound: *proceedings,* **420**
Piepgras DG *see* Wijdicks EFM *et al*
Pietz K *et al.* Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up, **709**
Piper K *see* White K *et al*
Plant G *see* Saldanha G *et al*
Plant GT *see* Kidd D *et al*
Plotnik M *et al.* Motor switching abilities in Parkinson's disease and old age: temporal aspects, **328**
Polkey CE *see* Koutroumanidis M *et al*
Poncet M *see* Ferreira CT *et al*
Ponsot G *see* Jambaqué I *et al*
Postert T *see* Federlein J *et al*
Power MJ *see* Blackwood SK *et al*
Prasher DK *see* Ceranic BJ *et al*
Prat C *et al.* Post-arteriography cholesterol embolism, **564**
Preece MA *see* Al-Memar AY *et al*
Presgrave CM *see* Sue CM *et al*
Price BH *see* Ay H *et al*
Prosiegel M *see* Böttger S *et al*
Pruvo JP *see* Hénon H *et al*
see Krystkowiak P *et al*
Przuntek H *see* Federlein J *et al*
Ptak R *et al.* Association learning in the acute confusional state, **390**
Puri BK *et al.* The human motor cortex after incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy, **748**

Quackenbush EJ *see* Simon DK *et al*
Quartarone A *et al.* Focal hand dystonia in a patient with thoracic outlet syndrome, **272**
Quijano J *see* Pascual J and Quijano J
Quinn NP *see* Schrag A *et al*

Raabe A *et al.* Jugular venous and arterial concentrations of serum S-100B protein in patients with severe head injury: a pilot study, **930**
Rabben T *see* Kristensen B *et al*
Racette BA, Perlmutter JS. Levodopa responsive parkinsonism in an adult with Huntington's disease, **577**
Raglan E *see* Ceranic BJ *et al*
Räihä I *et al.* Environmental differences in twin pairs discordant for Alzheimer's disease, **785**
Rajala T *see* Räihä I *et al*
Rajshekhar V *see* Mathew JM *et al*
Rakowicz WP, Hodges JR. Dementia and aphasia in motor neuron disease: an underrecognised association?, **881**
Rand KH *et al.* Molecular approach to find target(s) for oligoclonal bands in multiple sclerosis, **48**
Rao DG, Lyons PR. Wallerian degeneration of the pyramidal tract after a thrombotic stroke, **944**
Read L *see* Hughes TA *et al*
Reich SG *see* Lenz FA *et al*
Reiners K *see* Naumann M *et al*
Reinvang I *see* Brækken SK *et al*
Remonda L *see* Kownacki JD *et al*
Reti M *see* Holmes J *et al*
Reuber M, Denton M. "Bedsore myelopathy": three cases of subacute myelopathy secondary to MRSA infection: *proceedings,* **425**
Reuter I *see* Flowers J *et al*
Revesz T *see* Barker RA *et al*
Richards HK *see* Czosnyka Z *et al*
Richardson B *see* Moore PM and Richardson B
Riekkinen Sr PJ *see* Juottonen K *et al*
Rijntjes M *see* Timmann D *et al*
Ring HA. Crime in Huntington's disease: *commentary,* **435**
Rinkel GJE *see* Hop JW *et al*
see Linn FHH *et al*
see Roos YBWEM *et al*
Risitano G *see* Quartarone A *et al*
Riskind P *see* Brecher K *et al*
Roberts I *et al.* Absence of evidence for the effectiveness of five interventions routinely used in the intensive care management of severe head injury: a systematic review, **729**
Roberts N *see* Liu C *et al*
Robertson IH *see* O'Connell JE *et al*
Robertson NP *et al.* Adult polyglucosan body disease associated with an extrapyramidal syndrome, **788**
Myasthenia gravis: a population based epidemiological study in Cambridgeshire, England, **492**
Robertson P *et al.* Myasthenia gravis: a population based study in Cambridgshire: *proceedings,* **419**
Robinson A *see* Guilleminault C *et al*
Robinson P *see* Molyneux PD *et al*
Robinson S *see* Hunn M *et al*
Rochat H *see* Guieu R *et al*
Rodríguez M *see* Méndez E *et al*
Rodriguez ML *see* Simon DK *et al*
Romanowski C *see* Hadjivassiliou M *et al*
Ron MA. Proceedings of the 1998 winter meeting of the British Neuropsychiatry Association, the London Zoo, 16 January 1998: *proceedings,* **412**
Roos YBWEM *et al.* Systematic review of antifibrinolytic treatment in aneurysmal subarachnoid haemorrhage, **942**
Ross C *see* Al-Memar AY *et al*
Ross HF *see* Hughes TA *et al*
Rosso JP *see* Guieu R *et al*
Rossor MN *see* Brown J *et al*
see Fox NC *et al*
Rothwell JC *see* Colebatch JG *et al*
Rothwell PM. Quality of life in multiple sclerosis : *commentary,* **433**
Roullet E *see* Murphy N *et al*
Rowland LH *see* Lenz FA *et al*
Rubegni M *see* Rubegni P *et al*
Rubegni P *et al.* Thoracocervicofacial purpura as the single manifestation of epileptic seizure, **365**
Ruddock KH *see* Morland AB *et al*
Rudge P *see* Larner AJ *et al*
Russell AJC *see* Craig JJ *et al*
Russell D *see* Brækken SK *et al*
Ryan F *see* McCabe DJH *et al*

Sabaté M *see* Méndez E *et al*
Sadier M *et al.* Successful treatment of HIV associated progressive multifocal leucoencephalopathy (PML): *proceedings,* **418**
Sadler M *see* Ai-Shahi R *et al*
Sadoshima S *see* Nakane H *et al*
Sagar HJ *see* Graham JM *et al*
see Graham JM *et al*
see Hadjivassiliou M *et al*
Sailer M *see* Murphy N *et al*
Saldanha G *see* Kennedy AJ *et al*
see Kennedy AJ *et al*
Saldanha G *et al.* Decreased CGRP but preserved Trk A-immunoreactivity in nerve fibres in inflamed human superficial temporal arteries: role for NGF in vascular head pain: *proceedings,* **424**
Sander JW *see* Langan Y *et al*
Sander JWAS *see* Everitt AD *et al*
Sandercock P *et al.* Myelopathy and Radiculopathy intervention Trial (MERIT): *proceedings,* **424**
Sankhla C *et al.* Peripherally induced oromandibular dystonia, **722**
Sannomiya K *see* Kurokawa K *et al*
Santana C *see* Méndez E *et al*
Sargentoni J *see* Puri BK *et al*
Sasaki H *see* Yokota T *et al*
Sasaki M *see* Hirono N *et al*
Sasaki R *et al.* A novel de novo point mutation in the GTP cyclohydrolase I gene in a Japanese patient with hereditary progressive and dopa responsive dystonia: *letter,* **947**
Sasaki T *see* Kurita H *et al*
Sato Y *et al.* Carbohydrate antigen 19–9 in cerebrospinal fluid and within malignant cells in a case of leptomeningeal carcinomatosis: *letter,* **402**
Saunders D *see* Pereira AC *et al*
Savic G *see* Davey NJ *et al*
see Puri BK *et al*
Savic I, Engel Jr J. Sex differences in patients with mesial temporal lobe epilepsy, **910**
Sawcer S *see* Coraddu F *et al*
Scaravilli F *see* Kidd D *et al*
see Larner AJ *et al*
Schaller C *et al.* Significance of factors contributing to surgical complications and to late outcome after elective surgery of cerebral arteriovenous malformations, **547**
Schapira AHV *see* Hanna MG *et al*
see Warner TT and Schapira AHV
Schechtman E *see* Plotnik M *et al*
Schierhout G *see* Roberts I *et al*
Schiffmann R *see* Tedeschi G *et al*
Schlamp V *see* Borasio GD *et al*
Schmitz PIM *see* Martina ISJ *et al*
Schnider A *see* Ptak R *et al*
Schnider P *see* Seiser A *et al*
Schon F *see* Hart PE *et al*
Schoonman GG *see* Haan J *et al*
Schrag A *et al.* Clinical usefulness of magnetic resonance imaging in multiple system atrophy, **65**
Schramm J *see* Schaller C *et al*
Schroth G *see* Müri RM *et al*
Schultz DW *et al.* Behavioural disturbance and visual hallucinations in a 78 year old man, **933**
Schulz P *see* Arbusow V *et al*
Schulze-Bonhage A, Ferbert A. Electrophysiological recordings in bilateral hemifacial spasm: *letter,* **408**

Schumacher M *see* Hemmer B *et al*
Schwartz A *see* Gass A *et al*
Schwarz J *see* Borasio GD *et al*
Schwarz M *see* Boroojerdi B *et al*
Schwarz S *see* Seiser A *et al*
Scolding NJ *see* Robertson NP *et al*
Scott RB. Cognitive function and pallidotomy: *commentary*, **148**
Seed P *see* Koutroumanidis M *et al*
Seiser A *et al.* Parkinsonism and dystonia in central pontine and extrapontine myelinolysis, **119**
Sethi P *see* Kakar A *et al*
Setta F *et al.* Ataxia induced by small amounts of alcohol, **370**
Sharief MK *see* Wellmer A *et al*
Sharief MK. Association of herpes simplex virus with Bell's palsy: a prospective clinical, virological, and immunological study: *proceedings*, **418**
Sharvell Y *see* Brink NS *et al*
Shaw CE *see* Hu MTM *et al*
Shaw P *see* White K *et al*
Shergill SS *et al.* A preliminary investigation of laterality in Parkinson's disease and susceptibility to psychosis: *letter*, **610**
Sherrington CR, Bamford JM. The role of magnetic resonance imaging in vertebrobasilar ischaemia: *proceedings*, **426**
Shibasaki H *see* Ikeda A *et al*
Shimomura T *see* Hirono N *et al*
Shinohara Y *see* Yoshii F *et al*
Shinotoh H *see* Asahina M *et al*
Shiojiri T *see* Yokota T *et al*
Shoji S *see* Ishii K *et al*
Shorvon SD *see* Everitt AD *et al*
see Wieshmann UC *et al*
Silbert PL *et al.* Traumatic distal femoral neuropathy: *correspondence*, **614**
Simões-Ribeiro F *see* Mendes-Ribeiro JA *et al*
Simon DK *et al.* A unique familial leukodystrophy with adult onset dementia and abnormal glycolipid storage: a new lysosomal disease?, **251**
Singhal BS *see* Facer P *et al*
Sinicropi DV *see* Facer P *et al*
Sinicropi S *see* Quartarone A *et al*
Sivaguru A *et al.* The effect of carotid intervention on blood pressure: *proceedings*, **420**
Smith CC *see* Mackenzie AR *et al*
Smith FW *see* Mackenzie AR *et al*
Smith HC *see* Davey NJ *et al*
see Puri BK *et al*
Smith KJ *see* Kapoor R *et al*
Smith S *see* Evangelou N *et al*
Smith SC *see* Larner AJ *et al*
Soares R *see* Mendes-Ribeiro JA *et al*
Sobue G *see* Terao S *et al*
Soininen H *see* Juottonen K *et al*
Solomon T *et al.* Poliomyelitis-like illness due to Japanese encephalitis virus: *proceedings*, **417**
Sonksen PH *see* Coppini DV *et al*
Soo YS *see* Sue CM *et al*
Sørensen SA *see* Jensen P *et al*
Sourander L *see* Räihä I *et al*
Spincemaille GH *see* Korten AGGC *et al*
Spokes EG *see* Hughes TA *et al*
Standl E *see* Hummel M *et al*
Stanford M *see* Kidd D *et al*
Stanhope N *see* Guinan EM *et al*
Statham P *see* Sandercock P *et al*
Steeds R *see* Sivaguru A *et al*
Steiger H-J *see* Böttger S *et al*
Steiger MJ *see* Kellett MW *et al*
Steinke W *see* Gass A *et al*
Stemper B *see* Hilz MJ *et al*
Stenager E *see* Koch-Henriksen N *et al*
Stephens B *et al.* Spinal interneuron loss in motor neuron disease: *proceedings*, **421**
Sterio D *see* Perrine K *et al*
Stern J *see* Alusi SH *et al*
Sterzi R *see* Geminiani G *et al*
Stevens DL *see* Fuller GN *et al*
Stevens JM *see* Everitt AD *et al*
see Holmes PA *et al*
Stevenson VL *et al.* Serial measurement of spinal cord atrophy in multiple sclerosis: a potential tool for monitoring disease progression: *proceedings*, **423**
Stewart J *see* Hanna MG *et al*
Stewart R. Cardiovascular factors in Alzheimer's disease: *editorial*, **143**
Stone J *et al.* Hereditary motor and sensory neuropathy type 1A associated with sensorineural deafness: *letter*, **403**
Strupp M *see* Arbusow V *et al*
Suarez JI *see* Lenz FA *et al*
Sue CM *et al.* Neuroradiological features of six kindreds with MELAS $tRNA^{Leu}$ A3243G point mutation: implications for pathogenesis, **233**
Sugai F *see* Abe K and Sugai F
Suhara T *see* Asahina M *et al*
Sussman JD *see* Graham JM *et al*
see Graham JM *et al*
Suzuki I *see* Kurita H *et al*
Suzuki K *see* Asahina M *et al*
Svennevig JL *see* Brækken SK *et al*
Swash M *see* Murphy N *et al*
Sweeney B *see* Harrison MJG *et al*
Symms MR *see* Holmes PA *et al*
see Wieshmann UC *et al*

Tagawa Y *see* Tsukaguchi M *et al*
Tagawa Y *et al.* Antiganglioside antibodies in various episodes in a patient with recurrent Guillain-Barré syndrome: *letter*, **952**
Tago M *see* Kurita H *et al*
Takahira M *see* Mabuchi K *et al*
Takamori M *see* Mabuchi K *et al*
Takeda A *see* Terao S *et al*
Takeuchi H *see* Tsukaguchi M *et al*
Taleghani BM *see* Naumann M *et al*
Tamaoka A *see* Ishii K *et al*
Tan SV, Guiloff RJ. Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS, **23**
Tanimukai S *see* Hirono N *et al*
Taphoorn MJB. A "soap bubble" tumour in the brain: isolated cerebral immunocytoma , **217**
Tapia R *see* Thomas PK *et al*
Tassin J *see* Picard F *et al*
Tatsch K *see* Borasio GD *et al*
Taylor C *see* Coraddu F *et al*
Tedeschi G *et al.* Proton magnetic resonance spectroscopic imaging in the clinical evaluation of patients with Niemann-Pick type C disease, **72**
Tedman BM *see* Kellett MW *et al*
Teitelbaum P *see* Behrman AL *et al*
Tennant A *see* Ford HL *et al*
Terahara A *see* Kurita H *et al*
Terao S *et al.* Serial magnetic resonance imaging shows separate medial and lateral medullary infarctions resulting in the hemimedullary syndrome: *letter*, **134**
Terwindt GM *see* Haan J *et al*
Thijs RD *et al.* Distribution of muscle weakness of central and peripheral origin, **794**
Thilmann AF *see* Mummel P *et al*
Thom M *see* Barker RA *et al*
Thomas A *see* Onofrj M *et al*
Thomas DGT *see* Bhatia K *et al*
Thomas DJ *see* Holmes PA *et al*
Thomas PK *see* Watkins PJ and Thomas PK
Thomas PK. Subacute combined degeneration: *commentary*, **807**
Thomas PK *et al.* Neurological manifestations in chronic mountain sickness: *proceedings*, **418**
Thompson AJ *see* Stevenson VL *et al*
see van der Putten JJMF *et al*
see Werring DJ *et al*
Thomsen LL *see* Daugaard D *et al*
Thuy TTN *see* Solomon T *et al*
Timmann D *see* Mummel P *et al*
Timmann D *et al.* Involvement of the human cerebellum during habituation of the acoustic startle response: A PET study, **771**
Tintoré M *see* Marzo ME *et al*
Toevi M *see* Cognard C *et al*
Tofts PS *see* Molyneux PD *et al*
Toh CM *see* Kellett MW *et al*
Tomiyasu H *see* Yoshii F *et al*
Tonali P *see* Silbert PL *et al*
Tooth CL *see* Hadjivassiliou M *et al*
Toyka KV *see* Naumann M *et al*
Trabucchi M *see* Frisoni GB *et al*
Tremlett HL *et al.* Use of corticosteroids in multiple sclerosis by consultant neurologists in the United Kingdom, **362**
Trenkwalder C *see* Hummel M *et al*
Trigwell P *see* Nathan R *et al*
Trouillas P *see* Derex L *et al*
Tsukaguchi M *et al.* IgM anti-GM2 antibody in a patient with Guillain-Barré syndrome subsequent to cytomegalovirus hepatitis cross reacts with *N-acetylgalactosaminyl GD1a: letter*, **407**
Turnbull DM *see* Chinnery PF *et al*

Vaddadi KS *see* Downing ME *et al*
van der Graaf Y *see* Thijs RD *et al*
van der Laan RT *see* Korten AGGC *et al*
van der Meché FGA *see* Martina ISJ *et al*
van der Putten JJMF *et al.* Functional gain from inpatient rehabilitation: disease group comparison: *proceedings*, **425**
van de Wel AM *see* Korten AGGC *et al*
van Dijk GW *see* Denislic M *et al*
van Doorn PA *see* Martina ISJ *et al*
van Gijn J *see* Linn FHH *et al*
see Roos YBWEM *et al*
see Thijs RD *et al*

van Koningsveld R *see* Martina ISJ *et al*
van Zandvoort M *et al.* Decreased capacity for mental effort after single supratentorial lacunar infarct may affect performance in everyday life, **697**
Vargas M *see* Thomas PK *et al*
Vassilopoulos D *see* Panas M *et al*
Vaughn DW *see* Solomon T *et al*
Venables GS *see* Sivaguru A *et al*
Verdugo RJ, Ochoa JL. Reversal of hypoaesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients, **196**
Vermeulen M *see* Roos YBWEM *et al*
Vidailhet M *see* Pautas E *et al*
Vincent A *see* Nichols P *et al*
Vogeley K, Curio G. Pictorial pseudohallucinations with an "aperture effect" in a patient with quadrantanopia, **275**
Völkel H *see* Meyer T *et al*
Voltz RD *see* Arbusow V *et al*
von Kummer R *see* del Zoppo GJ *et al*
Vos J *see* Duyff RF and Vos J
Vuadens P, Bogousslavsky J. Face-arm-trunk-leg sensory loss limited to the contralateral side in lateral medullary infarction: a new variant, **255**

Waddell F *see* Sandercock P *et al*
Wade DT *et al.* Routine follow up after head injury: a second randomised controlled trial, **177**
Wakefield L *see* Hunn M *et al*
Waldmann H *see* Coles AJ *et al*
Walker Z *see* Shergill SS *et al*
Walls TJ *see* Stone J *et al*
Ward N *et al.* A method of whole brain functional MRI of single subjects discloses CN5 correlates of neurogenic allodynia: *proceedings*, **425**
Warlow CP *see* Schultz DW *et al*
Warner TT, Schapira AHV. The role of the α-synuclein gene mutation in patients with sporadic Parkinson's disease in the United Kingdom, **378**
Watkins PJ, Thomas PK. Diabetes mellitus and the nervous system: *review*, **620**
Weber F. The diagnostic sensitivity of different F wave parameters, **535**
Weeks P *see* Ai-Shahi R *et al*
Weiller C *see* Timmann D *et al*
Wellmer A *see* Coppini DV *et al*
see Kennedy AJ *et al*
see Kennedy AJ *et al*
Wellmer AC *see* Knowles CH *et al*
Wellmer A *et al.* A clinical trial of recombinant human brain derived neurotrophic factor (rhBDNF) in diabetic sensory polyneuropathy: *proceedings*, **423**
Wells E *see* Davey NJ *et al*
Wenden FJ *see* Wade DT *et al*
Weng C *see* Coppini DV *et al*
Werring DJ *et al.* The structural and functional mechanisms of motor recovery: complementary use of diffusion tensor and functional magnetic resonance imaging in a traumatic injury of the internal capsule, **863**
Wharton S *see* Robertson NP *et al*
White K *et al.* Chromosome 2p linked autosomal dominant hereditary spastic paraparesis. A CAG repeat disease: *proceedings*, **415**
White NJ *see* Solomon T *et al*
Whyman L *see* Blank SC *et al*
Wieshmann UC *et al.* Microstructural abnormalities in cerebral white matter in epilepsy detected with diffusion tensor imaging: *proceedings*, **421**
Wijdicks EFM *et al.* Cerebellar swelling and massive brain stem distortion: spontaneous resolution documented by MRI, **400**
Wiles CM *see* Pickersgill TP *et al*
see Tremlett HL *et al*
Wilkinson I *see* Harrison MJG *et al*
Williams I *see* Harrison MJG *et al*
Williams R *see* Davies MB *et al*
Williams S *see* Ward N *et al*
Wills AJ *et al.* Levodopa therapy in primary orthostatic tremor: *proceedings*, **416**
Wing MG *see* Coles AJ *et al*
Woelfle J *see* Nogues M *et al*
Woermann FG *et al.* Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis, **656**
Wokke JHJ *see* Denislic M *et al*
see Thijs RD *et al*
Wolkenberg FA *see* Coric V *et al*
Woo J *see* Chan DKY *et al*
Wood NW *see* Giunti P *et al*
see Hanna MG *et al*
Wooding DS *see* Morland AB *et al*
Worth P *see* Giunti P *et al*

Yamamoto S *see* Kurokawa K *et al*
Yamamoto T *see* Yamashita M *et al*
Yamashita H *see* Hirono N *et al*
Yamashita M *et al.* "All tibial foot" with sensory cross over innervation between the tibial and deep peroneal nerves: *letter*, **798**
Yanagihara T *see* Abe K *et al*
Yardley L *et al.* Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**
Yassouridis A *see* Böttger S *et al*
Yokoji H *see* Mabuchi K *et al*
Yokota T *et al.* Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease, **530**
Yoshii F *et al.* Fluid attenuation inversion recovery (FLAIR) images of dentatorubropallidoluysian atrophy: case report, **396**
Yoshikawa H *see* Mabuchi K *et al*
Yoshino A *see* Yokota T *et al*
Young C *see* Holmes J *et al*
see Murphy N *et al*
Young PJ *see* Coppini DV *et al*
Yuasa T *see* Yokota T *et al*
Yuceyar N *see* Ertekin C *et al*
Yue Q *see* Jen JC *et al*
Yuki N *see* Tagawa Y *et al*
see Tsukaguchi M *et al*

Zanetti O *see* Frisoni GB *et al*
Ziegler A-G *see* Hummel M *et al*
Zilko PJ *see* Mastaglia FL *et al*
Zorgdrager A. Premenstrual exacerbations of multiple sclerosis: *letter*, **279**

VOLUME 65 • SUBJECT INDEX

20210A prothrombin gene mutation, Cerebral venous sinus thrombosis associated with 20210A mutation of the prothrombin gene: *letter,* **611**

A3243G point mutation, Neuroradiological features of six kindreds with MELAS $tRNA^{Leu}$ A3243G point mutation: implications for pathogenesis, **233**

aberrant regeneration, Botulinum toxin treatment of synkinesia and hyperlacrimation after facial palsy, **111**

absence status, Idiopathic generalised epilepsy in adults manifested by phantom absences, generalised tonic-clonic seizures, and frequent absence status: *correspondence,* **282**

acetylcholine receptor, Congenital myasthenia associated with a homozygous acetylcholine receptor gene promoter mutation: *proceedings,* **419**

acoustic stimulation, Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon, **670**

acute idiopathic autonomic neuropathy, A case of pandysautonomia with associated sensory ganglionopathy: *letter,* **278**

acute pandysautonomia, A case of pandysautonomia with associated sensory ganglionopathy: *letter,* **278**

acute stroke, Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke: *editorial,* **1**

adaptation, Postural responses to changing task conditions in patients with cerebellar lesions, **734**

adult polyglucosan body disease, Adult polyglucosan body disease associated with an extrapyramidal syndrome, **788**

age, The prevalence of apoE-ε4 in Alzheimer's disease is age dependent, **103**

age of onset, Factors affecting the age of onset and rate of progression of Alzheimer's disease, **184**

aging, Measuring vibration threshold with a graduated tuning fork in normal aging and patients with polyneuropathy, **743**

AIDS, Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS, **23**
Prevalence of Alzheimer plaques in AIDS, **29**
Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**

alcohol, Ataxia induced by small amounts of alcohol, **370**

alien hand syndrome, Sensory alien hand syndrome: case report and review of the literature, **366**

all tibial foot, "All tibial foot" with sensory cross over innervation between the tibial and deep peroneal nerves: *letter,* **798**

alternating hemiplegia, Exercise induced steroid dependent dystonia, ataxia, and alternating hemiplegia associated with epilepsy, **241**

Alzheimer's disease, Attentional deficits in early Alzheimer's disease: *proceedings,* **416**
Cardiovascular factors in Alzheimer's disease: *editorial,* **143**
Environmental differences in twin pairs discordant for Alzheimer's disease, **785**
Factors affecting the age of onset and rate of progression of Alzheimer's disease, **184**
Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele, **322**
Presymptomatic brain atrophy in familial Alzheimer's disease: progression and rates of tissue loss: *proceedings,* **417**
Prevalence of Alzheimer plaques in AIDS, **29**
Regional metabolism: associations with dyscalculia in Alzheimer's disease, **913**
The prevalence of apoE-ε4 in Alzheimer's disease is age dependent, **103**

ambulation, Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease, **580**

amine transporter, Regional dopamine transporter gene expression in the substantia nigra from control and Parkinson's disease brains, **164**

amnesia, Amnesia after a discrete basal forebrain lesion, **126**
Transient amnesia after perimesencephalic haemorrhage: the role of enlarged temporal horns, **590**

amyloid β-peptide, Mechanisms of neurite growth inhibition induced by amyloid β-peptide Aβ25-35: *proceedings,* **414**

amyloid plaques, Prevalence of Alzheimer plaques in AIDS, **29**

amyotrophic lateral sclerosis, Flail arm syndrome: a distinctive variant of amyotrophic lateral sclerosis: *letter,* **950**
Geographical epidemiology of residence of patients with motor neuron disease in Lancashire and south Cumbria, **842**
Splicing of the glutamate transporter EAAT2: a candidate gene of amyotrophic lateral sclerosis: *letter,* **954**
The EAAT2 (GLT-1) gene in motor neuron disease: absence of mutations in amyotrophic lateral sclerosis and a point mutation in patients with hereditary spastic paraplegia, **594**

anaesthesia, The hormonal response to stress is not modified by the dramatic decrease in prolactin plasma concentration during surgery for microprolactinoma, **502**

aneurysm, Headache characteristics in subarachnoid haemorrhage and benign thunderclap headache, **791**
Subependymal thalamic haemorrhage due to a thalamoperforating artery aneurysm , **669**

aneurysmal subarachnoid haemorrhage, Is it the haemorrhage or the surgery that dictates the outcome after aneurysmal subarachnoid haemorrhage?: *proceedings,* **415**

anomalous innervation, "All tibial foot" with sensory cross over innervation between the tibial and deep peroneal nerves: *letter,* **798**

anterior communicating artery (ACoA) aneurysm, Neurobehavioural disturbances, rehabilitation outcome, and lesion site in patients after rupture and repair of anterior communicating artery aneurysm, **93**

antiepileptic drugs, Do different antiepileptic drugs have different effects on the natural history of epilepsy?: *proceedings,* **417**
The new antiepileptic drugs in pregnancy: an ongoing register in the United Kingdom: *proceedings,* **421**

antifibrinolytic treatment, Systematic review of antifibrinolytic treatment in aneurysmal subarachnoid haemorrhage, **942**

antiganglioside antibody, Antiganglioside antibodies in various episodes in a patient with recurrent Guillain-Barré syndrome: *letter,* **952**

anti-Hu syndrome, Successful treatment of peripheral paraneoplastic neurological syndromes in small cell cancer: *letter,* **609**

anxiety, Anxiety, depression, symptom distress, and symptom amplification in neurology outpatients: *proceedings,* **418**
Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**

aphasia, Dementia and aphasia in motor neuron disease: an underrecognised association?, **881**

ApoE, Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele, **322**

apolipoprotein E, A quartet of Down's syndrome, Alzheimer's disease, cerebral amyloid angiopathy, and cerebral haemorrhage: interacting genetic risk factors: *letter,* **405**
The prevalence of apoE-ε4 in Alzheimer's disease is age dependent, **103**

apomorphine, Dopaminergic stimulation in unilateral neglect, **344**
Pallidal activity during dystonia: somatosensory reorganisation and changes with severity, **767**
Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up, **709**

apomorphine tests, The value of outpatient nurse led apomorphine tests in Parkinson's disease: *proceedings,* **426**

arterial stroke, Is inherited thrombophilia a risk factor for arterial stroke?: *commentary,* **617**

arteriography, Post-arteriography cholesterol embolism, **564**

arteriovenous fistula, Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**

arteriovenous malformation, Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery, **648**
Significance of factors contributing to surgical complications and to late outcome after elective surgery of cerebral arteriovenous malformations, **547**

atonic bladder, Urinary retention associated with a unilateral lesion in the dorsolateral tegmentum of the rostral pons: *letter,* **953**

atrial fibrillation, Atrial fibrillation and cognitive function: case-control study, **386**

atropine, Intravesical atropine suppression of detrusor hyperreflexia in multiple sclerosis: *letter,* **957**

attention, Cue dependent right hemineglect in schizophrenia: a kinematic analysis, **454**

autism, Autism and visual agnosia in a child with right occipital lobectomy, **555**
The effect of semantic and emotional context on written recall for verbal language in high functioning adults with autism spectrum disorder, **685**

autoantibodies, Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus, **204**

autoimmunity, Sodium fusidate in Guillain-Barré syndrome: a case report, **266**

autonomic dysfunction, Chronic cough in the Holmes-Adie syndrome: association in five cases with autonomic dysfunction, **583**

autosomal dominant, Autosomal dominant paroxysmal kinesigenic choreoathetosis: a clinical and genetic study of two families: *letter,* **955**

autosomal dominant pure spastic paraplegia linked to chromosome 2p, Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**
axial myopathy, Dropped head syndrome and bent spine syndrome: two separate clinical entities or different manifestations of axial myopathy?, **258**
axonal degeneration, Nitric oxide causes axonal degeneration which is exacerbated by impulse activity: *proceedings*, **415**

balance, Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**
barium carbonate intoxication, Barium carbonate intoxication: an electrophysiological study: *letter*, **606**
basal ganglia, Dopaminergic deficit in amyotrophic lateral sclerosis assessed with [I-123] IPT single photon emission computed tomography, **263**
Dystonia after striatopallidal and thalamic stroke: clinicoradiological correlations and pathophysiological mechanisms, **703**
Dystonia and chorea in acquired systemic disorders: *review*, **436**
Motor switching abilities in Parkinson's disease and old age: temporal aspects, **328**
bedsore myelopathy, "Bedsore myelopathy": three cases of subacute myelopathy secondary to MRSA infection: *proceedings*, **425**
Bell's palsy, Association of herpes simplex virus with Bell's palsy: a prospective clinical, virological, and immunological study: *proceedings*, **418**
benign intracranial hypertension, Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**
bent spine syndrome, Dropped head syndrome and bent spine syndrome: two separate clinical entities or different manifestations of axial myopathy?, **258**
bilateral, Electrophysiological recordings in bilateral hemifacial spasm: *letter*, **408**
bilevel positive airway pressure treatment, Sleep and neuromuscular disease: bilevel positive airway pressure by nasal mask as a treatment for sleep disordered breathing in patients with neuromuscular disease, **225**
bladder dysfunction, Desmopressin in the treatment of daytime urinary frequency in patients with multiple sclerosis, **778**
bladder volumes, Repeatability, accuracy, and variability of residual bladder volumes in patients with neurological disorders measured using a portable bedside ultrasound: *proceedings*, **420**
blood pressure, The effect of carotid intervention on blood pressure: *proceedings*, **420**
botulinum A neurotoxin, Depletion of neutralising antibodies resensitises a secondary non-responder to botulinum A neurotoxin, **924**
botulinum toxin, Peripherally induced oromandibular dystonia, **722**
botulinum toxin, Botulinum toxin treatment of synkinesia and hyperlacrimation after facial palsy, **111**
bowel, Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**
brain, Sex differences in patients with mesial temporal lobe epilepsy, **910**
brain injury, Psychological associations with emotionalism after stroke, **928**
brain mapping, The structural and functional mechanisms of motor recovery: complementary use of diffusion tensor and functional magnetic resonance imaging in a traumatic injury of the internal capsule, **863**
brain stem, High resolution magnetic resonance imaging in peripheral vestibular dysfunction in multiple sclerosis , **945**
brain stem distortion, Cerebellar swelling and massive brain stem distortion: spontaneous resolution documented by MRI, **400**
brainstem, Fluid attenuation inversion recovery (FLAIR) images of dentatorubropallidoluysian atrophy: case report, **396**
Hyperekplexia and trismus due to brainstem encephalopathy, **122**
bruxism, Peripherally induced oromandibular dystonia, **722**
burns, Frequency, causes, and consequences of burns in patients with epilepsy: *letter*, **404**

calcium channel, Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia, **565**
calculation, Regional metabolism: associations with dyscalculia in Alzheimer's disease, **913**
canal stenosis, Intravenous immunoglobulin dependent inflammatory radiculopathy presenting as lumbar canal stenosis: *letter*, **802**
carbohydrate antigen, Carbohydrate antigen 19–9 in cerebrospinal fluid and within malignant cells in a case of leptomeningeal carcinomatosis: *letter*, **402**
carbon monoxide, Carbon monoxide poisoning and treatment with hyperbaric oxygen in the subacute phase, **245**
carcinoma, Chronic inflammatory demyelinating polyneuropathy accompanied by carcinoma: *letter*, **403**
cardiopulmonary bypass, Association between intraoperative cerebral microembolic signals and postoperative neuropsychological deficit: comparison between patients with cardiac valve replacement and patients with coronary artery bypass grafting, **573**
cardiovascular factors, Cardiovascular factors in Alzheimer's disease: *editorial*, **143**
cardiovascular toxicity, Autonomic effects of selegiline: possible cardiovascular toxicity in Parkinson's disease: *correspondence*, **280**
carotid artery, Audible carotid dissection: *letter*, **803**
carotid artery dissection, Disabling stroke arising five months after internal carotid artery dissection: *letter*, **136**
carotid intervention, The effect of carotid intervention on blood pressure: *proceedings*, **420**
cataract extraction, Transient monocular visual loss due to uveitis-glaucoma-hyphaema (UGH) syndrome: *lesson of the month*, **131**
cauda equina ependymoma, A giant cauda equina ependymoma, **71**
cause of death, Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry, **56**
central coherence, The effect of semantic and emotional context on written recall for verbal language in high functioning adults with autism spectrum disorder, **685**
central lingual paralysis, Motor evoked potentials in unilateral lingual paralysis after monohemispheric ischaemia, **755**
central nervous system, Case report of unusual leukoencephalopathy preceding primary CNS lymphoma, **917**
central pontine myelinolysis, Central pontine myelinolysis causes bilateral loss of deep sensitivity and pseudochoreoathetosis: *letter*, **607**
Parkinsonism and dystonia in central pontine and extrapontine myelinolysis, **119**
cerebellar ataxia, Cerebellar ataxia due to lead encephalopathy in an adult: *letter*, **797**
cerebellar ataxia type II, Autosomal dominant cerebellar ataxia type ii: genetic and clinical study: *proceedings*, **416**
cerebellar swelling, Cerebellar swelling and massive brain stem distortion: spontaneous resolution documented by MRI, **400**
cerebellar syndrome, Cerebral Erdheim-Chester disease: report of two cases with progressive cerebellar syndrome with dentate abnormalities on magnetic resonance imaging, **597**
cerebellum, Ataxia induced by small amounts of alcohol, **370**
Involvement of the human cerebellum during habituation of the acoustic startle response: A PET study, **771**
Postural responses to changing task conditions in patients with cerebellar lesions, **734**
cerebral amyloid angiopathy, A quartet of Down's syndrome, Alzheimer's disease, cerebral amyloid angiopathy, and cerebral haemorrhage: interacting genetic risk factors: *letter*, **405**
cerebral amyloid β-peptide angiopathy, Multifocal cortical myoclonus and cerebral amyloid β-peptide angiopathy: *letter*, **951**
cerebral artery infarction, Initial infarct volume and NAA concentration predict outcome in middle cerebral artery infarction: *proceedings*, **415**
cerebral blood flow, Cerebral blood flow and metabolism in patients with silent brain infarction: occult misery perfusion in the cerebral cortex, **317**
cerebral cortex, Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia, **446**
cerebral haemorrhage, Dexamethasone not necessarily unsafe in primary supratentorial intracerebral haemorrhage: *letter*, **799**
Metastatic choriocarcinoma presenting as multiple intracerebral haemorrhages: the role of imaging in the elucidation of the pathology, **939**
cerebral immunocytoma, A "soap bubble" tumour in the brain: isolated cerebral immunocytoma , **217**
cerebral infarction, Cerebral blood flow and metabolism in patients with silent brain infarction: occult misery perfusion in the cerebral cortex, **317**
Serial magnetic resonance imaging shows separate medial and lateral medullary infarctions resulting in the hemimedullary syndrome: *letter*, **134**
cerebral ischaemia, Atrial fibrillation and cognitive function: case-control study, **386**
cerebral metastasis, Metastatic choriocarcinoma presenting as multiple intracerebral haemorrhages: the role of imaging in the elucidation of the pathology, **939**
cerebral toxoplasmosis, Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**
cerebral venous thrombosis, Cerebral venous sinus thrombosis associated with 20210A mutation of the prothrombin gene: *letter*, **611**
Postpartum cerebral venous thrombosis, congenital protein C deficiency, and activated protein C resistance due to heterozygous factor V Leiden mutation: *letter*, **801**
cerebral white matter, Fluid attenuation inversion recovery (FLAIR) images of dentatorubropallidoluysian atrophy: case report, **396**
cerebrospinal fluid, Carbohydrate antigen 19–9 in cerebrospinal fluid and within malignant cells in a case of leptomeningeal carcinomatosis: *letter*, **402**
cerebrospinal fluid hydrodynamics, Effects of transient and persistent cerebrospinal fluid drainage on sleep disordered breathing in patients with idiopathic adult hydrocephalus syndrome, **497**

cervical dystonia, Outcome of selective ramisectomy for botulinum toxin resistant torticollis, **472**
chemotherapy, Successful treatment of peripheral paraneoplastic neurological syndromes in small cell cancer: *letter,* **609**
Chiari I malformation, Repeated syncopes and extended paediatric hydrosyringomyelia/Chiari I malformation: *correspondence,* **805**
Chiari malformation, Reversible hydromyelia in a synchronised swimmer with recurrent thoracic girdle pains: *letter,* **606**
child, Autism and visual agnosia in a child with right occipital lobectomy, **555**
childhood, Inherited prothrombotic states and ischaemic stroke in childhood, **508**
Chinese, Genetic and environmental risk factors for Parkinson's disease in a Chinese population, **781**
cholesterol, Post-arteriography cholesterol embolism, **564**
chondrosarcoma, Intracranial chondrosarcoma: review of the literature and report of 15 cases, **88**
chorea, Dystonia and chorea in acquired systemic disorders: *review,* **436**
choriocarcinoma, Metastatic choriocarcinoma presenting as multiple intracerebral haemorrhages: the role of imaging in the elucidation of the pathology, **939**
chromosome 2p, Chromosome 2p linked autosomal dominant hereditary spastic paraparesis. A CAG repeat disease: *proceedings,* **415**
chronic fatigue syndrome, Effects of exercise on cognitive and motor function in chronic fatigue syndrome and depression, **541**
chronic inflammatory demyelinating polyneuropathy, Antiganglioside antibodies in various episodes in a patient with recurrent Guillain-Barré syndrome: *letter,* **952**
Chronic inflammatory demyelinating polyneuropathy accompanied by carcinoma: *letter,* **403**
Chronic inflammatory demyelinating polyneuropathy during treatment with interferon-α: *letter,* **604**
chronic mountain sickness, Neurological manifestations in chronic mountain sickness: *proceedings,* **418**
chronic pain, A prospective audit of the use of lamotrigine in 300 patients with chronic pain: *proceedings,* **425**
chronic paroxysmal hemicrania, A case of chronic paroxysmal hemicrania responding to subcutaneous sumatriptan: *letter,* **407**
chronodispersion, The diagnostic sensitivity of different F wave parameters, **535**
clinical stage, Proton magnetic resonance spectroscopic imaging in the clinical evaluation of patients with Niemann-Pick type C disease, **72**
clinicoanatomical correlation, Upbeat nystagmus: clinicoanatomical correlation, **380**
cluster headache, Hypothalamic activation in cluster headache attacks: *proceedings,* **418**
clusters, Geographical epidemiology of residence of patients with motor neuron disease in Lancashire and south Cumbria, **842**
CNS impairment, Evidence of CNS impairment in HIV infection: clinical, neuropsychological, EEG, and MRI/MRS study, **301**
CNS lymphoma, Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**
cochlear mechanics, Tinnitus after head injury: evidence from otoacoustic emissions, **523**
Cochrane systematic review, Systematic review of antifibrinolytic treatment in aneurysmal subarachnoid haemorrhage, **942**
cognition, Effects of exercise on cognitive and motor function in chronic fatigue syndrome and depression, **541**
cognitive dysfunction, Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study, **155**
cognitive function, Atrial fibrillation and cognitive function: case-control study, **386**
cognitive functioning, Cognitive function and pallidotomy: *commentary,* **148**
compound muscle action potential, Distribution of electrophysiological abnormality in Lambert-Eaton myasthenic syndrome, **213**
confusional state, Association learning in the acute confusional state, **390**
congenital myasthenia, Congenital myasthenia associated with a homozygous acetylcholine receptor gene promoter mutation: *proceedings,* **419**
connective tissue diseases, Neurology of the vasculitides and connective tissue diseases: *review,* **10**
conversion disorders, Reversal of hypoaesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients, **196**
corpora amylacea, Corpora amylacea in hippocampal sclerosis: *correspondence,* **614**
Spinal corpora amylacea and motor neuron disease: a quantitative study, **488**
cortical dysplasia, Successful treatment of intractable epilepsia partialis continua with multiple subpial transections: *letter,* **137**
corticobasal degeneration, Familial dementia lacking specific pathological features presenting with clinical features of corticobasal degeneration, **600**
Neuropsychiatric features of corticobasal degeneration, **717**
corticospinal tract, Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease, **530**
corticosteroid, Dexamethasone not necessarily unsafe in primary supratentorial intracerebral haemorrhage: *letter,* **799**
corticosteroids, Corticosteroids and multiple sclerosis: *commentary,* **290**
Use of corticosteroids in multiple sclerosis by consultant neurologists in the United Kingdom, **362**
cortisol, Reversible proximal myopathy in epilepsy related Cushing's syndrome: *letter,* **134**
co-twin control study, Environmental differences in twin pairs discordant for Alzheimer's disease, **785**
cough, Chronic cough in the Holmes-Adie syndrome: association in five cases with autonomic dysfunction, **583**
coup de sabre, A "scar" and epilepsy: coup de sabre, **568**
cramp, Familial cramp due to potassium-aggravated myotonia, **569**
cranial base neoplasma, Intracranial chondrosarcoma: review of the literature and report of 15 cases, **88**
Creutzfeldt-Jakob disease, Creutzfeldt-Jakob disease in Sweden, **836**
crime, Crime in Huntington's disease: a study of registered offences among patients, relatives, and controls, **467**
Crime in Huntington's disease: *commentary,* **435**
crycopharyngeal muscle, Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
CSF, Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
cytokines, Sodium fusidate in Guillain-Barré syndrome: a case report, **266**
cytomegalovirus hepatitis, IgM anti-GM2 antibody in a patient with Guillain-Barré syndrome subsequent to cytomegalovirus hepatitis cross reacts with *N-acetylgalactosaminyl GD1a: letter,* **407**

daytime sleepiness, Sleep and neuromuscular disease: bilevel positive airway pressure by nasal mask as a treatment for sleep disordered breathing in patients with neuromuscular disease, **225**
de novo mutation, A novel de novo point mutation in the GTP cyclohydrolase I gene in a Japanese patient with hereditary progressive and dopa responsive dystonia: *letter,* **947**
de novo Parkinson's disease, Sudden appearence of invalidating dyskinesia-dystonia and off fluctuations after the introduction of levodopa in two dopaminomimetic drug naive patients with stage IV Parkinson's disease: *letter,* **605**
death certificates, Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry, **56**
dementia, A unique familial leukodystrophy with adult onset dementia and abnormal glycolipid storage: a new lysosomal disease?, **251**
Dementia and aphasia in motor neuron disease: an underrecognised association?, **881**
Environmental differences in twin pairs discordant for Alzheimer's disease, **785**
Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS, **23**
Medial temporal lobe atrophy in stroke patients: relation to pre-existing dementia, **641**
Neuropsychological prediction of dementia in Parkinson's disease: *correspondence,* **804**
Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**
The incidence and associations of dementia in Parkinson's disease: *proceedings,* **422**
demyelinating disease, Case report of unusual leukoencephalopathy preceding primary CNS lymphoma, **917**
demyelination, Central nervous system involvement in four patients with Charcot-Marie-Tooth disease with connexin 32 extracellular mutations: *letter,* **947**
dendritic spines, Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia, **446**
denervation, Outcome of selective ramisectomy for botulinum toxin resistant torticollis, **472**
dental surgery, Peripherally induced oromandibular dystonia, **722**
dentatorubropallidoluysian atrophy, Fluid attenuation inversion recovery (FLAIR) images of dentatorubropallidoluysian atrophy: case report, **396**
depression, Anxiety, depression, symptom distress, and symptom amplification in neurology outpatients: *proceedings,* **418**
Depression and its relation to lesion location after stroke: *correspondence,* **410**
Psychopathological and emotional deficits in myotonic dystrophy, **353**
desmopressin, Desmopressin in the treatment of daytime urinary frequency in patients with multiple sclerosis, **778**
detrusor hyperreflexia, Intravesical atropine suppression of detrusor hyperreflexia in multiple sclerosis: *letter,* **957**
dexamethasone, Dexamethasone not necessarily unsafe in primary supratentorial intracerebral haemorrhage: *letter,* **799**
diabetes, Neuropathological alterations in diabetic truncal neuropathy: evaluation by skin biopsy, **762**

diabetes mellitus, Diabetes mellitus and the nervous system: *review,* **620**
diabetic neuropathy, Neurotrophin-3 is increased in skin in human diabetic neuropathy, **393**
Neurotrophin-3 is increased in skin in human diabetic neuropathy: *proceedings,* **424**
diabetic peripheral neuropathy, The natural history of diabetic peripheral neuropathy determined by a 12 year study using validated vibration perception thresholds: *proceedings,* **423**
diabetic sensory polyneuropathy, A clinical trial of recombinant human brain derived neurotrophic factor (rhBDNF) in diabetic sensory polyneuropathy: *proceedings,* **423**
diabetic truncal neuropathy, Neuropathological alterations in diabetic truncal neuropathy: evaluation by skin biopsy, **762**
diagnosis, Clinical usefulness of magnetic resonance imaging in multiple system atrophy, **65**
Spinal epidural abscess: the importance of early diagnosis and treatment, **209**
diagnostic nerve block, Reversal of hypoaesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients, **196**
diagonal band of Broca, Amnesia after a discrete basal forebrain lesion, **126**
diffusion tensor imaging, Microstructural abnormalities in cerebral white matter in epilepsy detected with diffusion tensor imaging: *proceedings,* **421**
discordance, Environmental differences in twin pairs discordant for Alzheimer's disease, **785**
dissecting aneurysm, Audible carotid dissection: *letter,* **803**
dizziness, Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**
DNA based diagnosis, Ion channels and neurological disease: DNA based diagnosis is now possible, and ion channels may be important in common paroxysmal disorders: *editorial,* **427**
DNA detection, Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
dopamine, Dopaminergic stimulation in unilateral neglect, **344**
dopamine agonist, Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up, **709**
dopamine transporter, Dopamine transporter imaging with [I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease, **60**
Dopaminergic deficit in amyotrophic lateral sclerosis assessed with [I-123] IPT single photon emission computed tomography, **263**
dorsolateral prefrontal cortex, Functional organisation of saccades and antisaccades in the frontal lobe in humans: a study with echo planar functional magnetic resonance imaging, **374**
Down's syndrome, A quartet of Down's syndrome, Alzheimer's disease, cerebral amyloid angiopathy, and cerebral haemorrhage: interacting genetic risk factors: *letter,* **405**
dropped head syndrome, Dropped head syndrome and bent spine syndrome: two separate clinical entities or different manifestations of axial myopathy?, **258**
drug misuse, A potential explanation for plexitis in drug misusers: *proceedings,* **426**
dural fistula, Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**
dynamometry, Distribution of muscle weakness of central and peripheral origin, **794**
dyskinesia, Sudden appearence of invalidating dyskinesia-dystonia and off fluctuations after the introduction of levodopa in two dopaminomimetic drug naive patients with stage IV Parkinson's disease: *letter,* **605**
dysphagia, Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
dysphagia limit, Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
dystonia, Depletion of neutralising antibodies resensitises a secondary non-responder to botulinum A neurotoxin, **924**
Dystonia after striatopallidal and thalamic stroke: clinicoradiological correlations and pathophysiological mechanisms, **703**
Dystonia and chorea in acquired systemic disorders: *review,* **436**
Pallidal activity during dystonia: somatosensory reorganisation and changes with severity, **767**
Parkinsonism and dystonia in central pontine and extrapontine myelinolysis, **119**
Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise: *letter,* **604**
Re-emergence of surgery for dystonia: *commentary,* **434**

EBNA-1, Molecular approach to find target(s) for oligoclonal bands in multiple sclerosis, **48**
education, Environmental differences in twin pairs discordant for Alzheimer's disease, **785**
efferent suppression, Tinnitus after head injury: evidence from otoacoustic emissions, **523**
electroconvulsive therapy, Forgetting rates in neuropsychiatric disorders, **890**
electroencephalography, Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with FDG PET: neurophysiological and metabolic implications, **170**
electromyography, Barium carbonate intoxication: an electrophysiological study: *letter,* **606**
Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury, **80**
electrophysiological recordings, Electrophysiological recordings in bilateral hemifacial spasm: *letter,* **408**
electrophysiology of swallowing, Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
embolisation, Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**
embolism, Association between intraoperative cerebral microembolic signals and postoperative neuropsychological deficit: comparison between patients with cardiac valve replacement and patients with coronary artery bypass grafting, **573**
Post-arteriography cholesterol embolism, **564**
emotion, The effect of semantic and emotional context on written recall for verbal language in high functioning adults with autism spectrum disorder, **685**
emotional deficit, Psychopathological and emotional deficits in myotonic dystrophy, **353**
emotional lability, Psychological associations with emotionalism after stroke, **928**
emotionalism, Psychological associations with emotionalism after stroke, **928**
encephalopathy, Cerebellar ataxia due to lead encephalopathy in an adult: *letter,* **797**
endorphins, The hormonal response to stress is not modified by the dramatic decrease in prolactin plasma concentration during surgery for microprolactinoma, **502**
endovascular treament, Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**
entorhinal cortex, Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele, **322**
environmental factors, Genetic and environmental risk factors for Parkinson's disease in a Chinese population, **781**
epidemiology, Genetic and environmental risk factors for Parkinson's disease in a Chinese population, **781**
epidural haematoma, Resolution of extensive spinal epidural haematoma with conservative treatment: *letter,* **949**
epilepsia partialis continua, Successful treatment of intractable epilepsia partialis continua with multiple subpial transections: *letter,* **137**
epilepsy, A "scar" and epilepsy: coup de sabre, **568**
Do different antiepileptic drugs have different effects on the natural history of epilepsy?: *proceedings,* **417**
Exercise induced steroid dependent dystonia, ataxia, and alternating hemiplegia associated with epilepsy, **241**
Frequency, causes, and consequences of burns in patients with epilepsy: *letter,* **404**
Idiopathic generalised epilepsy in adults manifested by phantom absences, generalised tonic-clonic seizures, and frequent absence status: *correspondence,* **282**
Microstructural abnormalities in cerebral white matter in epilepsy detected with diffusion tensor imaging: *proceedings,* **421**
Postictal psychosis as a risk factor for mood disorders after temporal lobe surgery, **587**
Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis, **656**
Reversible proximal myopathy in epilepsy related Cushing's syndrome: *letter,* **134**
Sex differences in patients with mesial temporal lobe epilepsy, **910**
Sudden death in epilepsy: a series of witnessed deaths: *proceedings,* **417**
epilepsy surgery, Successful treatment of intractable epilepsia partialis continua with multiple subpial transections: *letter,* **137**
epileptic seizures, A prospective MRI study of the aetiology of epileptic seizures in a large community based cohort: *proceedings,* **417**
epileptic seizure, Thoracocervicofacial purpura as the single manifestation of epileptic seizure, **365**
Epstein-Barr virus, Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
Erdheim-Chester disease, Cerebral Erdheim-Chester disease: report of two cases with progressive cerebellar syndrome with dentate abnormalities on magnetic resonance imaging, **597**
executive deficit, Autism and visual agnosia in a child with right occipital lobectomy, **555**
exercise, Effects of exercise on cognitive and motor function in chronic fatigue syndrome and depression, **541**
Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise: *letter,* **604**

exercise induced dystonia, Exercise induced steroid dependent dystonia, ataxia, and alternating hemiplegia associated with epilepsy, **241**
external ventricular drainage, Shunt surgery in poor grade patients with tuberculous meningitis and hydrocephalus: effects of response to external ventricular drainage and other variables on long term outcome, **115**
extrapontine myelinolysis, Parkinsonism and dystonia in central pontine and extrapontine myelinolysis, **119**
eye movements, Functional organisation of saccades and antisaccades in the frontal lobe in humans: a study with echo planar functional magnetic resonance imaging, **374**
Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex, **828**

F wave, The diagnostic sensitivity of different F wave parameters, **535**
facial nerve palsy, Botulinum toxin treatment of synkinesia and hyperlacrimation after facial palsy, **111**
factor V Leiden, Inherited prothrombotic states and ischaemic stroke in childhood, **508**
Prothrombotic mutations and ischaemic stroke at a young age in two sisters: *letter,* **958**
factor V Leiden mutation, Postpartum cerebral venous thrombosis, congenital protein C deficiency, and activated protein C resistance due to heterozygous factor V Leiden mutation: *letter,* **801**
familial dysautonomia, Highly abnormal thermotests in familial dysautonomia suggest increased cardiac autonomic risk, **338**
filamentous phage display library, Molecular approach to find target(s) for oligoclonal bands in multiple sclerosis, **48**
flail arm, Flail arm syndrome: a distinctive variant of amyotrophic lateral sclerosis: *letter,* **950**
FLAIR image, Fluid attenuation inversion recovery (FLAIR) images of dentatorubropallidoluysian atrophy: case report, **396**
focal dystonia, Focal hand dystonia in a patient with thoracic outlet syndrome, **272**
follow up service, Routine follow up after head injury: a second randomised controlled trial, **177**
FOOD, FOOD (feed or ordinary diet): *proceedings,* **419**
foramen magnum, Pneumatic drill through the foramen magnum, **511**
forgetting, Forgetting rates in neuropsychiatric disorders, **890**
France, Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**
French patients, Lack of mutation G209A in the α-synuclein gene in French patients with familial and sporadic Parkinson's disease: *letter,* **948**
Friedreich ataxia, Typical Friedreich ataxia without GAA expansions/GAA expansions without typical Friedreich ataxia: *proceedings,* **415**
frontal eye field, Functional organisation of saccades and antisaccades in the frontal lobe in humans: a study with echo planar functional magnetic resonance imaging, **374**
frontal lobe, Separate visual pathways for perception of actions and objects: evidence from a case of apperceptive agnosia, **382**
frontotemporal dementia, Familial dementia lacking specific pathological features presenting with clinical features of corticobasal degeneration, **600**
Fucidin, Sodium fusidate in Guillain-Barré syndrome: a case report, **266**
functional magnetic resonance imaging, Functional organisation of saccades and antisaccades in the frontal lobe in humans: a study with echo planar functional magnetic resonance imaging, **374**
functional status questionnaire, Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**

gait, Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease, **580**
gamma knife, Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery, **648**
gap junction, Central nervous system involvement in four patients with Charcot-Marie-Tooth disease with connexin 32 extracellular mutations: *letter,* **947**
gastrointestinal system, Neurology and the gastrointestinal system: *review,* **291**
genetic factors, Genetic and environmental risk factors for Parkinson's disease in a Chinese population, **781**
genome screen, HLA conditioning in a multiple sclerosis genome screen: *proceedings,* **414**
Germany, Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**
globus pallidus, Pallidal activity during dystonia: somatosensory reorganisation and changes with severity, **767**
glucose metabolism, Sex differences in patients with mesial temporal lobe epilepsy, **910**
glutamate, Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia, **446**
glutamate transporter, Splicing of the glutamate transporter EAAT2: a candidate gene of amyotrophic lateral sclerosis: *letter,* **954**
The EAAT2 (GLT-1) gene in motor neuron disease: absence of mutations in amyotrophic lateral sclerosis and a point mutation in patients with hereditary spastic paraplegia, **594**
Goldenhar syndrome, Oculo-auriculo-vertebral spectrum disorder (Goldenhar "syndrome") coexisting with schizophreniform disorder: *letter,* **135**
grading, Significance of factors contributing to surgical complications and to late outcome after elective surgery of cerebral arteriovenous malformations, **547**
graduated tuning fork, Measuring vibration threshold with a graduated tuning fork in normal aging and patients with polyneuropathy, **743**
granulomatous angiitis of the central nervous system, Granulomatous angiitis of the CNS causing spontaneous intracerebral haemorrhage: the importance of leptomeningeal biopsy: *letter,* **956**
grasp, The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
GT1a, IgG Anti-GT1a antibodies which do not cross react with GQ1b ganglioside in a pharyngeal-cervical-brachial variant of Guillain-Barré syndrome: *letter,* **799**
GTP-cyclohydrolase I gene, A novel de novo point mutation in the GTP cyclohydrolase I gene in a Japanese patient with hereditary progressive and dopa responsive dystonia: *letter,* **947**
Guillain-Barré syndrome, Guillain-Barré syndrome variants in Emilia-Romagna, Italy, 1992–3: incidence, clinical features, and prognosis, **218**
IgG Anti-GT1a antibodies which do not cross react with GQ1b ganglioside in a pharyngeal-cervical-brachial variant of Guillain-Barré syndrome: *letter,* **799**
IgM anti-GM2 antibody in a patient with Guillain-Barré syndrome subsequent to cytomegalovirus hepatitis cross reacts with *N-acetylgalactosaminyl GD1a: letter,* **407**
Sodium fusidate in Guillain-Barré syndrome: a case report, **266**
Guillain-Barré syndrome (recurrent), Antiganglioside antibodies in various episodes in a patient with recurrent Guillain-Barré syndrome: *letter,* **952**
gynaecomastia, Gynaecomastia in association with phenytoin and zonisamide in a patient having a CYP2C subfamily mutation: *letter,* **803**

habituation, Involvement of the human cerebellum during habituation of the acoustic startle response: A PET study, **771**
haemorrhage, Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke: *editorial,* **1**
hallucinosis, Olanzapine in the treatment of hallucinosis in idiopathic parkinson's disease: a cautionary note, **774**
head injuries, Absence of evidence for the effectiveness of five interventions routinely used in the intensive care management of severe head injury: a systematic review, **729**
head injury, Jugular venous and arterial concentrations of serum S-100B protein in patients with severe head injury: a pilot study, **930**
Routine follow up after head injury: a second randomised controlled trial, **177**
Tinnitus after head injury: evidence from otoacoustic emissions, **523**
headache, Headache characteristics in subarachnoid haemorrhage and benign thunderclap headache, **791**
hemifacial spasm, Electrophysiological recordings in bilateral hemifacial spasm: *letter,* **408**
hemineglect, Cue dependent right hemineglect in schizophrenia: a kinematic analysis, **454**
hereditary ataxia, Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia, **565**
hereditary motor and sensory neuropathy type 1A, Hereditary motor and sensory neuropathy type 1A associated with sensorineural deafness: *letter,* **403**
hereditary progressive and dopa responsive dystonia, A novel de novo point mutation in the GTP cyclohydrolase I gene in a Japanese patient with hereditary progressive and dopa responsive dystonia: *letter,* **947**
hereditary spastic paraplegia, The EAAT2 (GLT-1) gene in motor neuron disease: absence of mutations in amyotrophic lateral sclerosis and a point mutation in patients with hereditary spastic paraplegia, **594**
herpes simplex virus, Association of herpes simplex virus with Bell's palsy: a prospective clinical, virological, and immunological study: *proceedings,* **418**
hippocampal sclerosis, Corpora amylacea in hippocampal sclerosis: *correspondence,* **614**
Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis, **656**
hippocampus, Right hippocampal contribution to visual memory: a presurgical and postsurgical study in patients with temporal lobe epilepsy, **665**
HIV infection, Evidence of CNS impairment in HIV infection: clinical, neuropsychological, EEG, and MRI/MRS study, **301**
HIV neurological complications, Clinical utility of polymerase chain reaction (PCR) on cerebrospinal fluid (CSF) for the diagnosis and management of HIV neurological complications: *proceedings,* **421**
Holmes-Adie syndrome, Chronic cough in the Holmes-Adie syndrome: association in five cases with autonomic dysfunction, **583**

Holmes's (rubral) tremor, Levodopa responsive Holmes's tremor and wearing off dyskinesia secondary to a brainstem angioma: a model for parkinsonism: *proceedings,* **421**
hormones, Reversible proximal myopathy in epilepsy related Cushing's syndrome: *letter,* **134**
human, Postural responses to changing task conditions in patients with cerebellar lesions, **734**
The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
human skin, Neurotrophin-3 is increased in skin in human diabetic neuropathy, **393**
humans, Motor evoked potentials in unilateral lingual paralysis after monohemispheric ischaemia, **755**
Huntingtons disease, Crime in Huntington's disease: *commentary,* **435**
Huntington's disease, Crime in Huntington's disease: a study of registered offences among patients, relatives, and controls, **467**
Levodopa responsive parkinsonism in an adult with Huntington's disease, **577**
hydrocephalus, Chhabra hydrocephalus shunt: lessons for gravitational valves: *letter,* **406**
Correlation of ventricular size and transcranial Doppler findings before and after ventricular peritoneal shunt in patients with hydrocephalus: prospective study of 35 patients, **269**
Effects of transient and persistent cerebrospinal fluid drainage on sleep disordered breathing in patients with idiopathic adult hydrocephalus syndrome, **497**
Shunt surgery in poor grade patients with tuberculous meningitis and hydrocephalus: effects of response to external ventricular drainage and other variables on long term outcome, **115**
Transient amnesia after perimesencephalic haemorrhage: the role of enlarged temporal horns, **590**
hydromyelia, Reversible hydromyelia in a synchronised swimmer with recurrent thoracic girdle pains: *letter,* **606**
hydrosyringomyelia, Repeated syncopes and extended paediatric hydrosyringomyelia/Chiari I malformation: *correspondence,* **805**
hyperbaric oxygen, Carbon monoxide poisoning and treatment with hyperbaric oxygen in the subacute phase, **245**
hyperekplexia, Hyperekplexia and trismus due to brainstem encephalopathy, **122**
hyperhomocysteinaemia, Prothrombotic mutations and ischaemic stroke at a young age in two sisters: *letter,* **958**
hyperkalaemic periodic paralysis, Salbutamol treatment in a patient with hyperkalaemic periodic paralysis due to a mutation in the skeletal muscle sodium channel gene (SCN4A), **248**
hypermetria, Ataxia induced by small amounts of alcohol, **370**
hyphaema, Transient monocular visual loss due to uveitis-glaucoma-hyphaema (UGH) syndrome: *lesson of the month,* **131**
hypoaesthesia, Reversal of hypoaesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients, **196**
hypokinesia, Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease, **580**

IgM anti-GM2 antibody, IgM anti-GM2 antibody in a patient with Guillain-Barré syndrome subsequent to cytomegalovirus hepatitis cross reacts with *N-acetylgalactosaminyl GD1a: letter,* **407**
immunoadsorption, Depletion of neutralising antibodies resensitises a secondary non-responder to botulinum A neurotoxin, **924**
immunoglobulin therapy, Immunoglobulin therapy in inflammatory myopathies, **107**
in situ hybridisation, Regional dopamine transporter gene expression in the substantia nigra from control and Parkinson's disease brains, **164**
incidence, Creutzfeldt-Jakob disease in Sweden, **836**
Guillain-Barré syndrome variants in Emilia-Romagna, Italy, 1992–3: incidence, clinical features, and prognosis, **218**
Myasthenia gravis: a population based epidemiological study in Cambridgeshire, England, **492**
incontinence, Intravesical atropine suppression of detrusor hyperreflexia in multiple sclerosis: *letter,* **957**
inflammatory myopathies, Immunoglobulin therapy in inflammatory myopathies, **107**
inflammatory radiculopathy, Intravenous immunoglobulin dependent inflammatory radiculopathy presenting as lumbar canal stenosis: *letter,* **802**
infratentorial volumes, Longitudinal infratentorial volumes and disability in multiple sclerosis: *proceedings,* **426**
instructional set, Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease, **580**
interferon-α, Chronic inflammatory demyelinating polyneuropathy during treatment with interferon-α: *letter,* **604**
interferon-β, Effect of interferon-β on mood and suicidality in relapsing-remitting multiple sclerosis: *proceedings,* **422**
Interictal focal activity: temporal lobe epilepsy, Interictal focal activity in temporal lobe epilepsy: *commentary,* **149**
intracerebral haematoma, Dexamethasone not necessarily unsafe in primary supratentorial intracerebral haemorrhage: *letter,* **799**
intracerebral haemorrhage, Granulomatous angiitis of the CNS causing spontaneous intracerebral haemorrhage: the importance of leptomeningeal biopsy: *letter,* **956**
intracranial, No relation between cephalic venous dilatation and pain in migraine, **260**
intracranial hypertension, Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow, **308**
intracranial vertebral artery, Vertebral aneurysm due to isolated spontaneous dissection of the intracranial vertebral artery, **946**
intraocular lens, Transient monocular visual loss due to uveitis-glaucoma-hyphaema (UGH) syndrome: *lesson of the month,* **131**
ion channels, Ion channels and neurological disease: DNA based diagnosis is now possible, and ion channels may be important in common paroxysmal disorders: *editorial,* **427**
ischaemic lesions, Asymptomatic cerebral ischaemic lesions detected by serial magnetic resonance imaging: *proceedings,* **422**
ischaemic stroke, Sensory alien hand syndrome: case report and review of the literature, **366**

Japanese encephalitis virus, Poliomyelitis-like illness due to Japanese encephalitis virus: *proceedings,* **417**

Kaposi's sarcoma-associated herpesvirus, Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
Kidney, Neurology and the kidney: *review,* **810**
kinematics, Cue dependent right hemineglect in schizophrenia: a kinematic analysis, **454**
Motor switching abilities in Parkinson's disease and old age: temporal aspects, **328**
The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**

labyrinthine defective, Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex, **828**
lacunar infarction, Decreased capacity for mental effort after single supratentorial lacunar infarct may affect performance in everyday life, **697**
Lambert-Eaton myasthenic syndrome, Distribution of electrophysiological abnormality in Lambert-Eaton myasthenic syndrome, **213**
Long term outcome in the Lambert-Eaton myasthenic syndrome (LEMS): *proceedings,* **419**
Successful treatment of peripheral paraneoplastic neurological syndromes in small cell cancer: *letter,* **609**
lamotrigine, A prospective audit of the use of lamotrigine in 300 patients with chronic pain: *proceedings,* **425**
laterality, A preliminary investigation of laterality in Parkinson's disease and susceptibility to psychosis: *letter,* **610**
lead, Cerebellar ataxia due to lead encephalopathy in an adult: *letter,* **797**
left inferior parietal lobule, Regional metabolism: associations with dyscalculia in Alzheimer's disease, **913**
leprosy, Decreased nerve growth factor immunostaining in skin basal keratinocytes and loss of intraepidermal innervation precedes sensory loss determined by quantitative testing in leprosy: *proceedings,* **424**
leptomemeningeal biopsy, Granulomatous angiitis of the CNS causing spontaneous intracerebral haemorrhage: the importance of leptomeningeal biopsy: *letter,* **956**
leptomeningeal carcinomatosis, Carbohydrate antigen 19–9 in cerebrospinal fluid and within malignant cells in a case of leptomeningeal carcinomatosis: *letter,* **402**
lesion frequency maps, Probabilistic lesion frequency maps of T2 and gadolinium enhancing T1 lesion volumes in multiple sclerosis: evidence for distinct mechanisms of lesion genesis: *proceedings,* **420**
lesion probability maps, Lesion probability maps (LPMs) demonstrate identical spatial distribution of the T1 hypointense and T2 hyperintense brain lesion in multiple sclerosis: *proceedings,* **422**
lesion volume, Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques, **42**
leukodystrophy, A unique familial leukodystrophy with adult onset dementia and abnormal glycolipid storage: a new lysosomal disease?, **251**
levodopa, Autonomic effects of selegiline: possible cardiovascular toxicity in Parkinson's disease: *correspondence,* **280**
Levodopa responsive parkinsonism in an adult with Huntington's disease, **577**
Levodopa therapy in primary orthostatic tremor: *proceedings,* **416**
Lhermitte's sign, Lhermitte's sign in cavernous angioma of the cervical spinal cord: *letter,* **954**
light-near dissociation, Pseudo-Argyll Robertson pupil of patients with spinocerebellar ataxia type 1 (SCA1): *letter,* **612**
linkage analysis, Autosomal dominant paroxysmal kinesigenic choreoathetosis: a clinical and genetic study of two families: *letter,* **955**
lower cranial nerve palsies, A syndrome of lower cranial nerve palsies, **133**

lymphoma, Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease, **191**
lysosomal disorder, A unique familial leukodystrophy with adult onset dementia and abnormal glycolipid storage: a new lysosomal disease?, **251**

Machado-Joseph disease, Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease, **530**
magnetic resonance imaging, A method of whole brain functional MRI of single subjects discloses CN5 correlates of neurogenic allodynia: *proceedings,* **425**
Asymptomatic cerebral ischaemic lesions detected by serial magnetic resonance imaging: *proceedings,* **422**
Cerebellar swelling and massive brain stem distortion: spontaneous resolution documented by MRI, **400**
Cerebral Erdheim-Chester disease: report of two cases with progressive cerebellar syndrome with dentate abnormalities on magnetic resonance imaging, **597**
Clinical usefulness of magnetic resonance imaging in multiple system atrophy, **65**
Evidence of CNS impairment in HIV infection: clinical, neuropsychological, EEG, and MRI/MRS study, **301**
High resolution magnetic resonance imaging in peripheral vestibular dysfunction in multiple sclerosis, **945**
Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele, **322**
Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques, **42**
Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis, **656**
Serial magnetic resonance imaging shows separate medial and lateral medullary infarctions resulting in the hemimedullary syndrome: *letter,* **134**
Spinal epidural abscess: the importance of early diagnosis and treatment, **209**
The role of magnetic resonance imaging in vertebrobasilar ischaemia: *proceedings,* **426**
The structural and functional mechanisms of motor recovery: complementary use of diffusion tensor and functional magnetic resonance imaging in a traumatic injury of the internal capsule, **863**
magnetic resonance spectroscopy, The human motor cortex after incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy, **748**
magnetic stimulation, Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury, **80**
medial temporal lobe atrophy, Medial temporal lobe atrophy in stroke patients: relation to pre-existing dementia, **641**
medulla oblongata, Serial magnetic resonance imaging shows separate medial and lateral medullary infarctions resulting in the hemimedullary syndrome: *letter,* **134**
medullary infarction, Face-arm-trunk-leg sensory loss limited to the contralateral side in lateral medullary infarction: a new variant, **255**
MELAS, MELAS: a new disease associated mitochondrial DNA mutation and evidence for further genetic heterogeneity, **512**
Neuroradiological features of six kindreds with MELAS $tRNA^{Leu}$ A3243G point mutation: implications for pathogenesis, **233**
memory, Forgetting rates in neuropsychiatric disorders, **890**
Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele, **322**
memory impairments, Cognitive effects of pituitary tumours and their treatments: two case studies and an investigation of 90 patients, **870**
menstrual cycle, Premenstrual exacerbations of multiple sclerosis: *letter,* **279**
mental imagery, Pictorial pseudohallucinations with an "aperture effect" in a patient with quadrantanopia, **275**
mesencephalon, Regional dopamine transporter gene expression in the substantia nigra from control and Parkinson's disease brains, **164**
meta-analysis, Absence of evidence for the effectiveness of five interventions routinely used in the intensive care management of severe head injury: a systematic review, **729**
Systematic review of antifibrinolytic treatment in aneurysmal subarachnoid haemorrhage, **942**
methylmalonic aciduria and homocystinuria, Combined methylmalonic aciduria and homocystinuria: a defect in cellular metabolism of cobalamin and a treatable cause of dementia: *proceedings,* **420**
microprolactinomas, The hormonal response to stress is not modified by the dramatic decrease in prolactin plasma concentration during surgery for microprolactinoma, **502**
microvessel, Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke: *editorial,* **1**
migraine, No relation between cephalic venous dilatation and pain in migraine, **260**
Severe weight loss after withdrawal of chronic pizotifen treatment: *letter,* **137**
minor head injury, Neuropsychiatric sequelae one year after a minor head injury, **899**
Neuropsychiatric sequelae one year after a minor head injury: *commentary,* **809**
mitochondrial DNA, MELAS: a new disease associated mitochondrial DNA mutation and evidence for further genetic heterogeneity, **512**
Neuroradiological features of six kindreds with MELAS $tRNA^{Leu}$ A3243G point mutation: implications for pathogenesis, **233**
mitochondrial DNA (mtDNA) mutations, Mitochondrial DNA defects: do the molecular genetic tests help us to predict prognosis?: *proceedings,* **418**
molecular genetic tests, Mitochondrial DNA defects: do the molecular genetic tests help us to predict prognosis?: *proceedings,* **418**
mood disorder, Postictal psychosis as a risk factor for mood disorders after temporal lobe surgery, **587**
Morvan's fibrillary chorea, Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma, **857**
motor evoked potential, Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease, **530**
motor neuron disease, Dementia and aphasia in motor neuron disease: an underrecognised association?, **881**
Dopaminergic deficit in amyotrophic lateral sclerosis assessed with [I-123] IPT single photon emission computed tomography, **263**
Flail arm syndrome: a distinctive variant of amyotrophic lateral sclerosis: *letter,* **950**
Geographical epidemiology of residence of patients with motor neuron disease in Lancashire and south Cumbria, **842**
Multidisciplinary clinic approach to motor neuron disease: an audit: *proceedings,* **421**
Spinal corpora amylacea and motor neuron disease: a quantitative study, **488**
Spinal interneuron loss in motor neuron disease: *proceedings,* **421**
motor recovery, The structural and functional mechanisms of motor recovery: complementary use of diffusion tensor and functional magnetic resonance imaging in a traumatic injury of the internal capsule, **863**
motor switching, Motor switching abilities in Parkinson's disease and old age: temporal aspects, **328**
movement, The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
movement disorder, Dystonia and chorea in acquired systemic disorders: *review,* **436**
Multifocal cortical myoclonus, Multifocal cortical myoclonus and cerebral amyloid β-peptide angiopathy: *letter,* **951**
multifocal motor neuropathy, Single fibre electromyography in multifocal motor neuropathy with persistent conduction blocks, **357**
multiple endocrine neoplasia, Peripheral sensory dysfunction in a kindred of multiple endocrine neoplasia type 2A with a codon 634 mutation of the RET proto-oncogene: *proceedings,* **425**
multiple sclerosis, Association studies of transforming growth factor-beta (TGF-β) gene polymorphisms in multiple sclerosis (MS): *proceedings,* **423**
Benign multiple sclerosis (MS)? A 10 year follow up: *proceedings,* **414**
Corticosteroids and multiple sclerosis: *commentary,* **290**
Desmopressin in the treatment of daytime urinary frequency in patients with multiple sclerosis, **778**
Effect of interferon-β on mood and suicidality in relapsing-remitting multiple sclerosis: *proceedings,* **422**
High resolution magnetic resonance imaging in peripheral vestibular dysfunction in multiple sclerosis , **945**
HLA conditioning in a multiple sclerosis genome screen: *proceedings,* **414**
Intravesical atropine suppression of detrusor hyperreflexia in multiple sclerosis: *letter,* **957**
Lesion probability maps (LPMs) demonstrate identical spatial distribution of the T1 hypointense and T2 hyperintense brain lesion in multiple sclerosis: *proceedings,* **422**
Living with multiple sclerosis: *proceedings,* **420**
Longitudinal infratentorial volumes and disability in multiple sclerosis: *proceedings,* **426**
Molecular approach to find target(s) for oligoclonal bands in multiple sclerosis, **48**
Polymorphisms in the IL-1RN and IL-1 beta gene influence disability in multiple sclerosis: *proceedings,* **423**
Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques, **42**
Premenstrual exacerbations of multiple sclerosis: *letter,* **279**
Probabilistic lesion frequency maps of T2 and gadolinium enhancing T1 lesion volumes in multiple sclerosis: evidence for distinct mechanisms of lesion genesis: *proceedings,* **420**

Pulsed monoclonal antibody treatment of multiple sclerosis suppresses new lesion formation but not the progression of disability or cerebral atrophy: *proceedings*, **414**
Qualify of life in multiple sclerosis: *proceedings*, **420**
Quality of life in multiple sclerosis : *commentary*, **433**
Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**
Serial measurement of spinal cord atrophy in multiple sclerosis: a potential tool for monitoring disease progression: *proceedings*, **423**
Suppression of pendular nystagmus by alcohol in a patient with multiple sclerosis: *proceedings*, **424**
Use of corticosteroids in multiple sclerosis by consultant neurologists in the United Kingdom, **362**
multiple sclerosis complications, Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry, **56**
multiple sclerosis lesions, Tenascin matrix changes in multiple sclerosis lesions: *proceedings*, **422**
multiple sclerosis mortality, Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry, **56**
multiple sleep latency test, Sleep and neuromuscular disease: bilevel positive airway pressure by nasal mask as a treatment for sleep disordered breathing in patients with neuromuscular disease, **225**
multiple subpial transections, Successful treatment of intractable epilepsia partialis continua with multiple subpial transections: *letter*, **137**
multiple system atrophy, Clinical usefulness of magnetic resonance imaging in multiple system atrophy, **65**
muscarinic receptor, Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study, **155**
muscle strength, Distribution of muscle weakness of central and peripheral origin, **794**
mutation G209A, Lack of mutation G209A in the α-synuclein gene in French patients with familial and sporadic Parkinson's disease: *letter*, **948**
myasthenia gravis, Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
Myasthenia gravis: a population based epidemiological study in Cambridgeshire, England, **492**
Myasthenia gravis: a population based study in Cambridgshire: *proceedings*, **419**
myelopathy, Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS, **23**
Myelopathy and Radiculopathy intervention Trial (MERIT): *proceedings*, **424**
Subacute combined degeneration: clinical, electrophysiological, and magnetic resonance imaging findings, **822**
myoclonus, Hyperekplexia and trismus due to brainstem encephalopathy, **122**
myopathy, Reversible proximal myopathy in epilepsy related Cushing's syndrome: *letter*, **134**
myotonic dystrophy, Psychopathological and emotional deficits in myotonic dystrophy, **353**

nerve conduction study, Barium carbonate intoxication: an electrophysiological study: *letter*, **606**
nerve growth factor, Decreased CGRP but preserved Trk A-immunoreactivity in nerve fibres in inflamed human superficial temporal arteries: role for NGF in vascular head pain: *proceedings*, **424**
Decreased nerve growth factor immunostaining in skin basal keratinocytes and loss of intraepidermal innervation precedes sensory loss determined by quantitative testing in leprosy: *proceedings*, **424**
neurite growth inhibition, Mechanisms of neurite growth inhibition induced by amyloid β-peptide Aβ25-35: *proceedings*, **414**
neurobehaviour, Neuropsychiatric features of corticobasal degeneration, **717**
neurobehavioural disturbances, Neurobehavioural disturbances, rehabilitation outcome, and lesion site in patients after rupture and repair of anterior communicating artery aneurysm, **93**
neurogenic allodynia, A method of whole brain functional MRI of single subjects discloses CN5 correlates of neurogenic allodynia: *proceedings*, **425**
neurological disability, Sex and relationship dysfunction in neurological disability, **877**
Neurological stamp, Jean Baptiste van Helmont (1577–1644), **916**
Hermann von Helmholtz (1821–94), **766**
Carlos Juan Finlay y Barres (1833-1915), **268**
Ferdinand Jakob Heinrich von Müller (1825-96), **9**
Ivan Mikhailovich Sechenov (1829-1905), **554**
Jean Alfred Fournier (1832-1914), **373**
neurology, Neurology and the gastrointestinal system: *review*, **291**
neuromuscular disease, Sleep and neuromuscular disease: bilevel positive airway pressure by nasal mask as a treatment for sleep disordered breathing in patients with neuromuscular disease, **225**
neuromyotonia, Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma, **857**
neuro-otological abnormalities, Neuro-otological and psychiatric abnormalities: *commentary*, **619**
neuropathy, Neuropathological alterations in diabetic truncal neuropathy: evaluation by skin biopsy, **762**
neurophysiology, Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**
neuropsychiatric sequelae, Neuropsychiatric sequelae one year after a minor head injury, **899**
Neuropsychiatric sequelae one year after a minor head injury: *commentary*, **809**
neuropsychiatry, Association between intraoperative cerebral microembolic signals and postoperative neuropsychological deficit: comparison between patients with cardiac valve replacement and patients with coronary artery bypass grafting, **573**
neuropsychological test battery, Evidence of CNS impairment in HIV infection: clinical, neuropsychological, EEG, and MRI/MRS study, **301**
neuropsychological tests, Cognitive functioning after pallidotomy for refractory Parkinson's disease, **150**
neuropsychology, Decreased capacity for mental effort after single supratentorial lacunar infarct may affect performance in everyday life, **697**
neuroradiology, Neuroradiological features of six kindreds with MELAS $tRNA^{Leu}$ A3243G point mutation: implications for pathogenesis, **233**
neurotrophic factor, A clinical trial of recombinant human brain derived neurotrophic factor (rhBDNF) in diabetic sensory polyneuropathy: *proceedings*, **423**
neurotrophin-3, Neurotrophin-3 is increased in skin in human diabetic neuropathy, **393**
neutralising antibodies, Depletion of neutralising antibodies resensitises a secondary non-responder to botulinum A neurotoxin, **924**
Niemann-Pick disease, Proton magnetic resonance spectroscopic imaging in the clinical evaluation of patients with Niemann-Pick type C disease, **72**
nitric oxide, Nitric oxide causes axonal degeneration which is exacerbated by impulse activity: *proceedings*, **415**
non-neuroleptic malignant syndrome, "Non-neuroleptic malignant" syndrome: *letter*, **613**
nuclear imaging, Dopamine transporter imaging with [I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease, **60**
***N*-acetylaspartate,** The human motor cortex after incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy, **748**

oedema, Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke: *editorial*, **1**
olanzapine, Olanzapine in the treatment of hallucinosis in idiopathic parkinson's disease: a cautionary note, **774**
Olanzapine treatment and the neurochemical basis of hallucinosis in idiopathic Parkinson's disease: *proceedings*, **416**
oligoclonal bands, Molecular approach to find target(s) for oligoclonal bands in multiple sclerosis, **48**
opaminomimetic drugs, Sudden appearence of invalidating dyskinesia-dystonia and off fluctuations after the introduction of levodopa in two dopaminomimetic drug naive patients with stage IV Parkinson's disease: *letter*, **605**
optic neuritis, Visual pathway MRI: an additional measure of visual psychophysical deficit in acute optic neuritis: *proceedings*, **426**
organic mental disorders, Oculo-auriculo-vertebral spectrum disorder (Goldenhar "syndrome") coexisting with schizophreniform disorder: *letter*, **135**
organic tremor, Electrophysiological differentiation of organic from psychogenic tremor: *proceedings*, **416**
oromandibular dystonia, Peripherally induced oromandibular dystonia, **722**
oropharyngeal palsy, IgG Anti-GT1a antibodies which do not cross react with GQ1b ganglioside in a pharyngeal-cervical-brachial variant of Guillain-Barré syndrome: *letter*, **799**
orthostatic tremor, Levodopa therapy in primary orthostatic tremor: *proceedings*, **416**
oscillopsia, Oscillopsia: impaired vision during motion in the absence of the vestibulo-ocular reflex: *commentary*, **808**
Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex, **828**
outcome, Jugular venous and arterial concentrations of serum S-100B protein in patients with severe head injury: a pilot study, **930**
Routine follow up after head injury: a second randomised controlled trial, **177**
overdrainage, Chhabra hydrocephalus shunt: lessons for gravitational valves: *letter*, **406**

pallidotomy, Cognitive function and pallidotomy: *commentary*, **148**
Cognitive functioning after pallidotomy for refractory Parkinson's disease, **150**
Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise: *letter*, **604**
The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
panic, Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**

paraneoplastic, Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma, **857**
paraneoplastic syndromes, Successful treatment of peripheral paraneoplastic neurological syndromes in small cell cancer: *letter,* **609**
parietal lobe, Separate visual pathways for perception of actions and objects: evidence from a case of apperceptive agnosia, **382**
parkinsonism, Adult polyglucosan body disease associated with an extrapyramidal syndrome, **788**
Levodopa responsive Holmes's tremor and wearing off dyskinesia secondary to a brainstem angioma: a model for parkinsonism: *proceedings,* **421**
Levodopa responsive parkinsonism in an adult with Huntington's disease, **577**
Parkinsonism and dystonia in central pontine and extrapontine myelinolysis, **119**
Regional dopamine transporter gene expression in the substantia nigra from control and Parkinson's disease brains, **164**
Parkinson's disease, Olanzapine in the treatment of hallucinosis in idiopathic parkinson's disease: a cautionary note, **774**
A novel therapeutic approach to the treatment of Parkinson's disease based on blockage of NR2B containing NMDA receptors in the striatum: *proceedings,* **416**
A preliminary investigation of laterality in Parkinson's disease and susceptibility to psychosis: *letter,* **610**
Autonomic effects of selegiline: possible cardiovascular toxicity in Parkinson's disease: *correspondence,* **280**
Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study, **155**
Cognitive functioning after pallidotomy for refractory Parkinson's disease, **150**
Genetic and environmental risk factors for Parkinson's disease in a Chinese population, **781**
Motor switching abilities in Parkinson's disease and old age: temporal aspects, **328**
Neuropsychological prediction of dementia in Parkinson's disease: *correspondence,* **804**
Olanzapine treatment and the neurochemical basis of hallucinosis in idiopathic Parkinson's disease: *proceedings,* **416**
Pallidal activity during dystonia: somatosensory reorganisation and changes with severity, **767**
Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up, **709**
Sudden appearence of invalidating dyskinesia-dystonia and off fluctuations after the introduction of levodopa in two dopaminomimetic drug naive patients with stage IV Parkinson's disease: *letter,* **605**
The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
The incidence and associations of dementia in Parkinson's disease: *proceedings,* **422**
The role of the α-synuclein gene mutation in patients with sporadic Parkinson's disease in the United Kingdom, **378**
The value of outpatient nurse led apomorphine tests in Parkinson's disease: *proceedings,* **426**
Time resolution for visual information processing in Parkinson's disease, **921**
Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease, **580**
Lack of mutation G209A in the α-synuclein gene in French patients with familial and sporadic Parkinson's disease: *letter,* **948**
paroxysmal, Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise: *letter,* **604**
paroxysmal disorders, Ion channels and neurological disease: DNA based diagnosis is now possible, and ion channels may be important in common paroxysmal disorders: *editorial,* **427**
paroxysmal kinesigenic choreoathetosis, Autosomal dominant paroxysmal kinesigenic choreoathetosis: a clinical and genetic study of two families: *letter,* **955**
pendular nystagmus, Suppression of pendular nystagmus by alcohol in a patient with multiple sclerosis: *proceedings,* **424**
perimesencephalic haemorrhage, Transient amnesia after perimesencephalic haemorrhage: the role of enlarged temporal horns, **590**
peripheral neuropathy, Central nervous system involvement in four patients with Charcot-Marie-Tooth disease with connexin 32 extracellular mutations: *letter,* **947**
Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS, **23**
peripheral sensory dysfunction, Peripheral sensory dysfunction in a kindred of multiple endocrine neoplasia type 2A with a codon 634 mutation of the RET proto-oncogene: *proceedings,* **425**
peripheral trauma, Peripherally induced oromandibular dystonia, **722**
peripheral vestibular dysfunction, High resolution magnetic resonance imaging in peripheral vestibular dysfunction in multiple sclerosis , **945**
peroneal nerve, "All tibial foot" with sensory cross over innervation between the tibial and deep peroneal nerves: *letter,* **798**
phenytoin, Gynaecomastia in association with phenytoin and zonisamide in a patient having a CYP2C subfamily mutation: *letter,* **803**
Pick's disease, Selective sparing of topographical memory, **903**
pituitary tumours, Cognitive effects of pituitary tumours and their treatments: two case studies and an investigation of 90 patients, **870**
pizotifen (pizotyline), Severe weight loss after withdrawal of chronic pizotifen treatment: *letter,* **137**
plasminogen activator, Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke: *editorial,* **1**
plasticity, Pallidal activity during dystonia: somatosensory reorganisation and changes with severity, **767**
Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury, **80**
plexitis, A potential explanation for plexitis in drug misusers: *proceedings,* **426**
pneumatic drill, Pneumatic drill through the foramen magnum, **511**
poisoning, Carbon monoxide poisoning and treatment with hyperbaric oxygen in the subacute phase, **245**
poliomyelitis-like illness, Poliomyelitis-like illness due to Japanese encephalitis virus: *proceedings,* **417**
polyglucosan bodies, Spinal corpora amylacea and motor neuron disease: a quantitative study, **488**
polymerase chain reaction, Clinical utility of polymerase chain reaction (PCR) on cerebrospinal fluid (CSF) for the diagnosis and management of HIV neurological complications: *proceedings,* **421**
polyneuropathy, The diagnostic sensitivity of different F wave parameters, **535**
polysomnography, Effects of transient and persistent cerebrospinal fluid drainage on sleep disordered breathing in patients with idiopathic adult hydrocephalus syndrome, **497**
pontine inflammatory lesion, Pontine inflammatory lesion due to shingles, **208**
pontine micturition centre, Urinary retention associated with a unilateral lesion in the dorsolateral tegmentum of the rostral pons: *letter,* **953**
pontine segmental infarction, Dorsolateral pontine segmental infarction presenting as isolated trigeminal sensory neuropathy , **702**
positron emission tomography, Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study, **155**
Cerebral blood flow and metabolism in patients with silent brain infarction: occult misery perfusion in the cerebral cortex, **317**
Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with FDG PET: neurophysiological and metabolic implications, **170**
Involvement of the human cerebellum during habituation of the acoustic startle response: A PET study, **771**
Sex differences in patients with mesial temporal lobe epilepsy, **910**
posterior, Sensory alien hand syndrome: case report and review of the literature, **366**
posterior cerebral artery, Sensory alien hand syndrome: case report and review of the literature, **366**
postictal psychosis, Postictal psychosis as a risk factor for mood disorders after temporal lobe surgery, **587**
postpartum, Postpartum cerebral venous thrombosis, congenital protein C deficiency, and activated protein C resistance due to heterozygous factor V Leiden mutation: *letter,* **801**
post-traumatic amnesia, Association learning in the acute confusional state, **390**
postural hypotension, Treatment of postural hypotension: *editorial,* **285**
posture, Postural responses to changing task conditions in patients with cerebellar lesions, **734**
potassium-aggravated myotonia, Familial cramp due to potassium-aggravated myotonia, **569**
precision, Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques, **42**
prednisolone therapy, Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus, **204**
pregnancy, The new antiepileptic drugs in pregnancy: an ongoing register in the United Kingdom: *proceedings,* **421**
premenstrual period, Premenstrual exacerbations of multiple sclerosis: *letter,* **279**
presymptomatic brain atrophy, Presymptomatic brain atrophy in familial Alzheimer's disease: progression and rates of tissue loss: *proceedings,* **417**
prevalence, Myasthenia gravis: a population based epidemiological study in Cambridgeshire, England, **492**
primary lymphoma, Case report of unusual leukoencephalopathy preceding primary CNS lymphoma, **917**
prion disease, Creutzfeldt-Jakob disease in Sweden, **836**
Proceedings, Proceedings of the 1998 winter meeting of the British Neuropsychiatry Association, the London Zoo, 16 January 1998: *proceedings,* **412**
Proceedings of the Association of British Neurologists, Trinity and All Saints University College, Leeds, 15–17 April 1998: *proceedings,* **414**
programming, Cue dependent right hemineglect in schizophrenia: a kinematic analysis, **454**

progressive encephalomyelitis with rigidity, Review of 23 patients affected by the stiff man syndrome: clinical subdivision into stiff trunk (man) syndrome, stiff limb syndrome, and progressive encephalomyelitis with rigidity, **633**
progressive multifocal leucoencephalopathy, Successful treatment of HIV associated progressive multifocal leucoencephalopathy (PML): *proceedings,* **418**
progressive multifocal leukoencephalopathy, Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**
progressive supranuclear palsy, Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study, **155**
Neuropsychiatric features of corticobasal degeneration, **717**
protein C deficiency, Postpartum cerebral venous thrombosis, congenital protein C deficiency, and activated protein C resistance due to heterozygous factor V Leiden mutation: *letter,* **801**
prothrombin mutation, Prothrombotic mutations and ischaemic stroke at a young age in two sisters: *letter,* **958**
prothrombotic states, Inherited prothrombotic states and ischaemic stroke in childhood, **508**
proton magnetic resonance spectroscopy, Proton magnetic resonance spectroscopic imaging in the clinical evaluation of patients with Niemann-Pick type C disease, **72**
Reduction in temporal N-acetylaspartate and creatine (or choline) ratio in temporal lobe epilepsy: does this ^{1}H-magnetic resonance spectroscopy finding mean poor seizure control?, **518**
pseudo-Argyll Robertson pupil, Pseudo-Argyll Robertson pupil of patients with spinocerebellar ataxia type 1 (SCA1): *letter,* **612**
pseudochoreoathetosis, Central pontine myelinolysis causes bilateral loss of deep sensitivity and pseudochoreoathetosis: *letter,* **607**
psychiatric disorder, Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**
psychogenic tremor, Electrophysiological differentiation of organic from psychogenic tremor: *proceedings,* **416**
psychosis, A preliminary investigation of laterality in Parkinson's disease and susceptibility to psychosis: *letter,* **610**
psychotic, Oculo-auriculo-vertebral spectrum disorder (Goldenhar "syndrome") coexisting with schizophreniform disorder: *letter,* **135**
pulsatility index, Correlation of ventricular size and transcranial Doppler findings before and after ventricular peritoneal shunt in patients with hydrocephalus: prospective study of 35 patients, **269**
pulsed monoclonal antibody treatment, Pulsed monoclonal antibody treatment of multiple sclerosis suppresses new lesion formation but not the progression of disability or cerebral atrophy: *proceedings,* **414**
pyramidal neurons, Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia, **446**
pyramidal signs, Cerebral Erdheim-Chester disease: report of two cases with progressive cerebellar syndrome with dentate abnormalities on magnetic resonance imaging, **597**
pyramidal tract, Wallerian degeneration of the pyramidal tract after a thrombotic stroke , **944**

QTc interval, Highly abnormal thermotests in familial dysautonomia suggest increased cardiac autonomic risk, **338**
quadrantanopia, Pictorial pseudohallucinations with an "aperture effect" in a patient with quadrantanopia, **275**
quality of life, Quality of life in multiple sclerosis : *commentary,* **433**
Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**
quantitative thermal testing, Highly abnormal thermotests in familial dysautonomia suggest increased cardiac autonomic risk, **338**
Queckenstedt's manoeuvre, No relation between cephalic venous dilatation and pain in migraine, **260**

radiculopathy, Myelopathy and Radiculopathy intervention Trial (MERIT): *proceedings,* **424**
The diagnostic sensitivity of different F wave parameters, **535**
radiosurgery, Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery, **648**
radiotherapy, Cognitive effects of pituitary tumours and their treatments: two case studies and an investigation of 90 patients, **870**
randomised controlled trial, Routine follow up after head injury: a second randomised controlled trial, **177**
randomised controlled trials, Absence of evidence for the effectiveness of five interventions routinely used in the intensive care management of severe head injury: a systematic review, **729**
rate of progression, Factors affecting the age of onset and rate of progression of Alzheimer's disease, **184**
reach, The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement, **479**
reciprocal inhibition cocontraction, Focal hand dystonia in a patient with thoracic outlet syndrome, **272**
recognition, Separate visual pathways for perception of actions and objects: evidence from a case of apperceptive agnosia, **382**
registries statistics and numerical data, Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry, **56**
rehabilitation, Functional gain from inpatient rehabilitation: disease group comparison: *proceedings,* **425**
rehabilitation outcome, Neurobehavioural disturbances, rehabilitation outcome, and lesion site in patients after rupture and repair of anterior communicating artery aneurysm, **93**
relationship satisfaction, Sex and relationship dysfunction in neurological disability, **877**
reliability, Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques, **42**
right temporal lobe epilepsy, Right hippocampal contribution to visual memory: a presurgical and postsurgical study in patients with temporal lobe epilepsy, **665**

S-100 protein, Jugular venous and arterial concentrations of serum S-100B protein in patients with severe head injury: a pilot study, **930**
salbutamol, Salbutamol treatment in a patient with hyperkalaemic periodic paralysis due to a mutation in the skeletal muscle sodium channel gene (SCN4A), **248**
spinal cord, Spinal corpora amylacea and motor neuron disease: a quantitative study, **488**
SCA6, Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia, **565**
schizophrenia, Cue dependent right hemineglect in schizophrenia: a kinematic analysis, **454**
Forgetting rates in neuropsychiatric disorders, **890**
Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia, **446**
Schizophrenia neuropathology: tortoises and hares: *commentary,* **432**
secondary hyperkalaemic paralysis, Secondary hyperkalaemic paralysis: *correspondence,* **614**
seizure control, Reduction in temporal N-acetylaspartate and creatine (or choline) ratio in temporal lobe epilepsy: does this ^{1}H-magnetic resonance spectroscopy finding mean poor seizure control?, **518**
selective preservation, Selective sparing of topographical memory, **903**
selegiline, Autonomic effects of selegiline: possible cardiovascular toxicity in Parkinson's disease: *correspondence,* **280**
semantics, The effect of semantic and emotional context on written recall for verbal language in high functioning adults with autism spectrum disorder, **685**
sensorineural deafness, Hereditary motor and sensory neuropathy type 1A associated with sensorineural deafness: *letter,* **403**
sensory ganglionopathy, A case of pandysautonomia with associated sensory ganglionopathy: *letter,* **278**
sensory patterns of stroke, Face-arm-trunk-leg sensory loss limited to the contralateral side in lateral medullary infarction: a new variant, **255**
sequence alteration, The EAAT2 (GLT-1) gene in motor neuron disease: absence of mutations in amyotrophic lateral sclerosis and a point mutation in patients with hereditary spastic paraplegia, **594**
sex, Sex differences in patients with mesial temporal lobe epilepsy, **910**
sexual dysfunction, Sex and relationship dysfunction in neurological disability, **877**
Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**
shingles, Pontine inflammatory lesion due to shingles, **208**
shunt, Chhabra hydrocephalus shunt: lessons for gravitational valves: *letter,* **406**
single fibre electromyography, Single fibre electromyography in multifocal motor neuropathy with persistent conduction blocks, **357**
single photon emission tomography, Dopaminergic deficit in amyotrophic lateral sclerosis assessed with [I-123] IPT single photon emission computed tomography, **263**
Sjögren's syndrome: chronic axonal neuropathy, Sjögren's syndrome in patients with chronic idiopathic axonal polyneuropathy: *correspondence,* **138**
skin, Neurotrophin-3 is increased in skin in human diabetic neuropathy: *proceedings,* **424**
skin basal keratinocytes, Decreased nerve growth factor immunostaining in skin basal keratinocytes and loss of intraepidermal innervation precedes sensory loss determined by quantitative testing in leprosy: *proceedings,* **424**
skin biopsy, Neuropathological alterations in diabetic truncal neuropathy: evaluation by skin biopsy, **762**
sleep disordered breathing, Effects of transient and persistent cerebrospinal fluid drainage on sleep disordered breathing in patients with idiopathic adult hydrocephalus syndrome, **497**
slow wave activity, Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with FDG PET: neurophysiological and metabolic implications, **170**
Soap bubble tumour, A "soap bubble" tumour in the brain: isolated cerebral immunocytoma, **217**

sodium channel disease, Familial cramp due to potassium-aggravated myotonia, **569**
sodium channel gene (SCN4A), Salbutamol treatment in a patient with hyperkalaemic periodic paralysis due to a mutation in the skeletal muscle sodium channel gene (SCN4A), **248**
sodium valproate, Sodium valproate for tinnitus: *letter,* **803**
somatisation, Reversal of hypoaesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients, **196**
spasmodic torticollis, Outcome of selective ramisectomy for botulinum toxin resistant torticollis, **472**
spastic paraparesis, Chromosome 2p linked autosomal dominant hereditary spastic paraparesis. A CAG repeat disease: *proceedings,* **415**
spatial neglect, Diagonal spatial neglect, **348**
spinal cord angioma, Lhermitte's sign in cavernous angioma of the cervical spinal cord: *letter,* **954**
spinal cord atrophy, Serial measurement of spinal cord atrophy in multiple sclerosis: a potential tool for monitoring disease progression: *proceedings,* **423**
spinal cord injury, Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury, **80**
The human motor cortex after incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy, **748**
spinal epidural abscess, Spinal epidural abscess: the importance of early diagnosis and treatment, **209**
spinal interneuron loss, Spinal interneuron loss in motor neuron disease: *proceedings,* **421**
spinal plasmacytoma, IgA secreting solitary spinal plasmacytoma: *proceedings,* **424**
spinocerebellar ataxia, Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia, **565**
spinocerebellar ataxia 1, Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease, **530**
spinocerebellar ataxia 2, Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease, **530**
spinocerebellar ataxia type 1 (SCA1), Pseudo-Argyll Robertson pupil of patients with spinocerebellar ataxia type 1 (SCA1): *letter,* **612**
splicing, Splicing of the glutamate transporter EAAT2: a candidate gene of amyotrophic lateral sclerosis: *letter,* **954**
startle, Hyperekplexia and trismus due to brainstem encephalopathy, **122**
startle response, Involvement of the human cerebellum during habituation of the acoustic startle response: A PET study, **771**
steroid dependent, Exercise induced steroid dependent dystonia, ataxia, and alternating hemiplegia associated with epilepsy, **241**
stiff limb syndrome, Review of 23 patients affected by the stiff man syndrome: clinical subdivision into stiff trunk (man) syndrome, stiff limb syndrome, and progressive encephalomyelitis with rigidity, **633**
stiff man syndrome, Review of 23 patients affected by the stiff man syndrome: clinical subdivision into stiff trunk (man) syndrome, stiff limb syndrome, and progressive encephalomyelitis with rigidity, **633**
Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus, **204**
Stiff man syndrome, 40 years later: *commentary,* **618**
striatum, Dopamine transporter imaging with [I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease, **60**
stroke, Audible carotid dissection: *letter,* **803**
Depression and its relation to lesion location after stroke: *correspondence,* **410**
Diagonal spatial neglect, **348**
Disabling stroke arising five months after internal carotid artery dissection: *letter,* **136**
Dystonia after striatopallidal and thalamic stroke: clinicoradiological correlations and pathophysiological mechanisms, **703**
Face-arm-trunk-leg sensory loss limited to the contralateral side in lateral medullary infarction: a new variant, **255**
Haemostatic variables in subjects with a family history of stroke: *proceedings,* **419**
Inherited prothrombotic states and ischaemic stroke in childhood, **508**
Medial temporal lobe atrophy in stroke patients: relation to pre-existing dementia, **641**
Motor evoked potentials in unilateral lingual paralysis after monohemispheric ischaemia, **755**
Prothrombotic mutations and ischaemic stroke at a young age in two sisters: *letter,* **958**
Psychological associations with emotionalism after stroke, **928**
Wallerian degeneration of the pyramidal tract after a thrombotic stroke , **944**
subacute combined degeneration, Subacute combined degeneration: clinical, electrophysiological, and magnetic resonance imaging findings, **822**
Subacute combined degeneration: *commentary,* **807**
subarachnoid haemorrhage, Headache characteristics in subarachnoid haemorrhage and benign thunderclap headache, **791**
Systematic review of antifibrinolytic treatment in aneurysmal subarachnoid haemorrhage, **942**
subcortical infarction, Decreased capacity for mental effort after single supratentorial lacunar infarct may affect performance in everyday life, **697**
submental EMG, Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis, **848**
substantia nigra, Dopamine transporter imaging with [I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease, **60**
sumatriptan, A case of chronic paroxysmal hemicrania responding to subcutaneous sumatriptan: *letter,* **407**
supine hypertension, Treatment of postural hypotension: *editorial,* **285**
surgery, Cognitive effects of pituitary tumours and their treatments: two case studies and an investigation of 90 patients, **870**
surgical risk, Significance of factors contributing to surgical complications and to late outcome after elective surgery of cerebral arteriovenous malformations, **547**
surgical stress, The hormonal response to stress is not modified by the dramatic decrease in prolactin plasma concentration during surgery for microprolactinoma, **502**
survey, Use of corticosteroids in multiple sclerosis by consultant neurologists in the United Kingdom, **362**
Sweden, Creutzfeldt-Jakob disease in Sweden, **836**
sympathomimetic drugs, Treatment of postural hypotension: *editorial,* **285**
symptomatic epilepsy, Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery, **648**
synchronised swimming, Reversible hydromyelia in a synchronised swimmer with recurrent thoracic girdle pains: *letter,* **606**
syncopes, Repeated syncopes and extended paediatric hydrosyringomyelia/Chiari I malformation: *correspondence,* **805**
α-synuclein gene The role of the α-synuclein gene mutation in patients with sporadic Parkinson's disease in the United Kingdom, **378**
α-synuclein gene Lack of mutation G209A in the α-synuclein gene in French patients with familial and sporadic Parkinson's disease: *letter,* **948**
systematic review, Absence of evidence for the effectiveness of five interventions routinely used in the intensive care management of severe head injury: a systematic review, **729**

T cell reactivity, Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus, **204**
T2 relaxometry, Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis, **656**
tanascin, Tenascin matrix changes in multiple sclerosis lesions: *proceedings,* **422**
temporal horn, Transient amnesia after perimesencephalic haemorrhage: the role of enlarged temporal horns, **590**
temporal lobe epilepsy, Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with FDG PET: neurophysiological and metabolic implications, **170**
Reduction in temporal N-acetylaspartate and creatine (or choline) ratio in temporal lobe epilepsy: does this ^{1}H-magnetic resonance spectroscopy finding mean poor seizure control?, **518**
temporal lobectomy, Postictal psychosis as a risk factor for mood disorders after temporal lobe surgery, **587**
thalamoperforating artery, Subependymal thalamic haemorrhage due to a thalamoperforating artery aneurysm , **669**
thalamus, Dystonia after striatopallidal and thalamic stroke: clinicoradiological correlations and pathophysiological mechanisms, **703**
Subependymal thalamic haemorrhage due to a thalamoperforating artery aneurysm , **669**
thoracic outlet syndrome, Focal hand dystonia in a patient with thoracic outlet syndrome, **272**
thoracocervicofacial purpura, Thoracocervicofacial purpura as the single manifestation of epileptic seizure, **365**
thrombophilia, Is inherited thrombophilia a risk factor for arterial stroke?: *commentary,* **617**
Prothrombotic mutations and ischaemic stroke at a young age in two sisters: *letter,* **958**
thymoma, Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma, **857**
tibial nerve, "All tibial foot" with sensory cross over innervation between the tibial and deep peroneal nerves: *letter,* **798**
time tagging, Amnesia after a discrete basal forebrain lesion, **126**
timing, Time resolution for visual information processing in Parkinson's disease, **921**
tinnitus, Sodium valproate for tinnitus: *letter,* **803**
Tinnitus after head injury: evidence from otoacoustic emissions, **523**

tonic-clonic seizures, Idiopathic generalised epilepsy in adults manifested by phantom absences, generalised tonic-clonic seizures, and frequent absence status: *correspondence,* **282**
topographical memory, Selective sparing of topographical memory, **903**
transcranial Doppler, Correlation of ventricular size and transcranial Doppler findings before and after ventricular peritoneal shunt in patients with hydrocephalus: prospective study of 35 patients, **269**
transcranial Doppler ultrasound, Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking, **561**
transcranial magnetic stimulation, Motor evoked potentials in unilateral lingual paralysis after monohemispheric ischaemia, **755**
The human motor cortex after incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy, **748**
transforming growth factor-β, Association studies of transforming growth factor-beta (TGF-β) gene polymorphisms in multiple sclerosis (MS): *proceedings,* **423**
transient ischaemic attack, Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking, **561**
transient visual loss, Transient monocular visual loss due to uveitis-glaucoma-hyphaema (UGH) syndrome: *lesson of the month,* **131**
traumatic brain injury, Association learning in the acute confusional state, **390**
Traumatic distal femoral neuropathy, Traumatic distal femoral neuropathy: *correspondence,* **614**
treatment, Spinal epidural abscess: the importance of early diagnosis and treatment, **209**
Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up, **709**
trigeminal sensory neuropathy, Dorsolateral pontine segmental infarction presenting as isolated trigeminal sensory neuropathy , **702**
trismus, Hyperekplexia and trismus due to brainstem encephalopathy, **122**
tRNA gene, MELAS: a new disease associated mitochondrial DNA mutation and evidence for further genetic heterogeneity, **512**
tuberculous meningitis, Shunt surgery in poor grade patients with tuberculous meningitis and hydrocephalus: effects of response to external ventricular drainage and other variables on long term outcome, **115**
Tullio phenomenon, Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon, **670**
tuning fork, Early days of the tuning fork, **728**
twin, Environmental differences in twin pairs discordant for Alzheimer's disease, **785**

ultrasound, Association between intraoperative cerebral microembolic signals and postoperative neuropsychological deficit: comparison between patients with cardiac valve replacement and patients with coronary artery bypass grafting, **573**
unilateral neglect, Dopaminergic stimulation in unilateral neglect, **344**
United Kingdom, Quality of life in multiple sclerosis in France, Germany, and the United Kingdom, **460**
upbeat nystagmus, Upbeat nystagmus: clinicoanatomical correlation, **380**
urinary frequency, Desmopressin in the treatment of daytime urinary frequency in patients with multiple sclerosis, **778**
urinary retention, Urinary retention associated with a unilateral lesion in the dorsolateral tegmentum of the rostral pons: *letter,* **953**
urodynamics, Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**

valproic acid, Sodium valproate for tinnitus: *letter,* **803**
variants, Guillain-Barré syndrome variants in Emilia-Romagna, Italy, 1992–3: incidence, clinical features, and prognosis, **218**
vascular head pain, Decreased CGRP but preserved Trk A-immunoreactivity in nerve fibres in inflamed human superficial temporal arteries: role for NGF in vascular head pain: *proceedings,* **424**
vasculitides, Neurology of the vasculitides and connective tissue diseases: *review,* **10**
veins, No relation between cephalic venous dilatation and pain in migraine, **260**
ventriculoperitoneal shunt, Correlation of ventricular size and transcranial Doppler findings before and after ventricular peritoneal shunt in patients with hydrocephalus: prospective study of 35 patients, **269**
Shunt surgery in poor grade patients with tuberculous meningitis and hydrocephalus: effects of response to external ventricular drainage and other variables on long term outcome, **115**
vertebral aneurysm, Vertebral aneurysm due to isolated spontaneous dissection of the intracranial vertebral artery , **946**
vertebrobasilar ischaemia, The role of magnetic resonance imaging in vertebrobasilar ischaemia: *proceedings,* **426**
vestibular, Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation, **679**
Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex, **828**
vestibular function tests, Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon, **670**
vestibular nerve, Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon, **670**
vestibulocollic reflex, Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon, **670**
vestibuloocular reflex, Oscillopsia: impaired vision during motion in the absence of the vestibulo-ocular reflex: *commentary,* **808**
vibration perception thresholds, The natural history of diabetic peripheral neuropathy determined by a 12 year study using validated vibration perception thresholds: *proceedings,* **423**
vibration sense, Measuring vibration threshold with a graduated tuning fork in normal aging and patients with polyneuropathy, **743**
vision, Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex, **828**
visual agnosia, Autism and visual agnosia in a child with right occipital lobectomy, **555**
visual disturbances, Time resolution for visual information processing in Parkinson's disease, **921**
visual hallucinations, Behavioural disturbance and visual hallucinations in a 78 year old man, **933**
visual memory, Right hippocampal contribution to visual memory: a presurgical and postsurgical study in patients with temporal lobe epilepsy, **665**
visual pseudohallucinations, Pictorial pseudohallucinations with an "aperture effect" in a patient with quadrantanopia, **275**
visual psychophysical deficit, Visual pathway MRI: an additional measure of visual psychophysical deficit in acute optic neuritis: *proceedings,* **426**
vitamin B_{12} deficiency, Subacute combined degeneration: clinical, electrophysiological, and magnetic resonance imaging findings, **822**
voiding, Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24, **693**

Wallerian degeneration, Wallerian degeneration of the pyramidal tract after a thrombotic stroke , **944**
wasting, Flail arm syndrome: a distinctive variant of amyotrophic lateral sclerosis: *letter,* **950**
weight loss, Severe weight loss after withdrawal of chronic pizotifen treatment: *letter,* **137**
Wilson's disease, Dopamine transporter imaging with [I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease, **60**

zidovudine, Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy, **34**
zonisamide, Gynaecomastia in association with phenytoin and zonisamide in a patient having a CYP2C subfamily mutation: *letter,* **803**